Index for Volume 87

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "S" indicates June abstract supplement. Publication number P-1997-1103-01O.

Abaca mosaic virus, banana bract mosaic virus comparison, properties, 698
Abad, J. A., S1
Abawi, G. S., S1, S80
Abbas, H. K., S1, S2
Abbasi, P. A., S2, S84
Abbott-Tikkanen, C., S2
Abdullah, M. T., S2
Aboshosha, S. S., S65
Abouzid, A. M., S90
Abstracts, author index of APS annual and division meeting presentations, S118
Abutilon theophrasti, rhizobacteria, growth effect, S108
Abutilon yellows virus, whitefly transmission, S58
Achenbach, L. A., S61
Acidovorax avenae, genetic diversity and phylogenetic relations, S102
Acremonium spp., on wheat, superoxide dismutase isozyme, S55
Acuna, I. A., S2
Acyrthosiphon pisum virus, pea aphid isolation, S100
Adams, D. M., S97
Adaskaveg, J. E., 979, S39, S51
Adee, E. A., S53
Adenium obesum, *Aristastoma* sp. on, leaf spot, S65
Adenle, V., S14
Adhikari, T., S3
Adkins, S. A., S82
Afanador, L., S76
Agama, K., S9
Agaricus bisporus
—green mold, biological fungicides, S73
—Trichoderma green mold: S4; molecular genetic analysis, S18
Agrobacterium spp.
—*A. radiobacter*, crown gall biocontrol by, molecular analysis, S77
—*A. tumefaciens*: autoinduction of *tra* gene, mutants, S61; tetracycline resistance gene, S61
—*A. vitis*, on grape, biocontrol and agrocin production, 706
Agrostis spp.
—*A. palustris*, nematodes in golf greens, S94
—*A. stolonifera*, brown patch, radiometry, S81
Aguero, M. E., S3
Ahmadi, N., 1243
Ahmed, H. U., 66
Ahn, I. P., S3
Ahn, S. W., S3
Ahn, Y., S57
Ajala, S. O., S14
Akamatsu, H., 967
Alabouvette, C., 693
Albar, L., 1243
Albibi, R., S3
Alcantara, T. P., S3
Al-Dahmani, J., S66
Aldunce, P., S110
Aldwinckle, H. S., S10, S31, S53, S67
Alfalfa
—*Colletotrichum* pathogens, genetic characterization and RFLP, 745
—foliar pathogens, in Iowa, S71
—light stress, resistance to, S76
—mycorrhizal development, regulation, S25
—root-lesion nematodes, biocontrol with *Streptomyces*, S84
—rust, infection factors, 946
—*Sclerotinia trifoliorum* on, wounding and resistance, S79
Alfalfa mosaic virus, in tobacco, viral coat protein genes, S105
Alfenas, A. C., S67
Alfonso, R. F., 66
Algae, on bermudagrass, fungicides for, S27
Ali-khan, S. T., S22
Alizadeh, A., 1111
Alldredge, J. R., S49
Allen, G. C., S99
Allium porri, leaf blight, in California, S53
Almond
—anthracnose, isolate characterization, in California, 979
—brown rot blossom blight, host resistance and chemical management, S39
Alocilja, E., S81
Al-Rawahi, A. K., 951
Alternaria spp.
—*A. alternata*: on apple, tomato pathotype, 967; on persimmon, atmosphere modified for control, 203; on pistachio, fruit load effect, S66
—*A. solani*, phytotoxicity, on tomato, S2
Alvarez, E., S3, S4
Amaranthaceae, arbuscular mycorrhizae in, border cells, 1240
American Phytopathological Society
—annual meeting symposium, 446
—annual report, 15
—Ciba-Geigy award, 24
—extension award, 23
—fellows, 17
—Lee M. Hutchins award, 23
—officers and committees, 13
—Ruth Allen award, 25
—teaching award, 22
Amorim, L., 506, 1005
Ampelomyces quisqualis, hyperparasite for powdery mildew on grape, S45
Amundsen, T., 1046
Anagnostakis, S. L., 751
Anderson, A. J., 1125, S52, S55
Anderson, C. M., S4
Anderson, E. J., 924, S24, S57, S65
Anderson, M. G., S4
Anderson, R., S93
Anderson, T. W., S97
Andrews, J. H., S35
Andrianifahanana, M., 892
Annis, S. L., S4
Antonovics, J., S43, S44
Apel-Birkhold, P. C., S4
Aphanomyces euteiches
—pathogenic and genotypic variation, S62
—on pea: control with Brassica seed meal, 77; soil receptivity factors, 534
Aphis fabae, on sugar beet, beet yellows virus vector, 766
Apoptosis, investigation in fungi, S63
Apple
—*Alternaria alternata*, mutants and tomato pathotype, 967
—bitter rot, calcium for suppression, S9
—blossom blight, hydrophobic particles, pear blight comparison, S100
—core rot, endophytic fungi, S88
—fire blight: biocontrol, research model, 1096; lytic proteins for transformation, S10; plasmid binary vectors, S53; tetracycline-resistant determinants, S74
—gray mold, yeast for control, S30
—*Penicillium expansum*, polygalacturonase production, S106
—Phytophthora crown and root rot, cover crop management, S99
—polygalacturonase-inhibiting protein, resistance factor, S20
—postharvest decay, biocontrol and calcium effects, S47
—postharvest pathogens, organisms from field, 1103
—replant disease, soil microorganism role, in Washington, S63
—*Rhizoctonia* spp., replant disease, 582
—scab: ascospore and infection, temperature effect, 1046; elicitor treatment, S10; fungal antagonist field evaluation, S15; hypovirulent isolates, S109; IPM Project (whole farm), S8; phytoalexin, 868; resistance, endochitinase-transgenic lines, S10; spray program using kresoxim-methyl, S32
—soil fungi and bacteria, plant growth effect, S63
—sooty blotch, etiology in North Carolina, 88
Apple stem grooving virus, on apple, pear, and citrus, molecular variability, 389
Arabidopsis spp., phytoalexin-deficient mutant, camalexin, S50
—*A. thaliana*: cauliflower mosaic virus, resistance, 792; harpin effect, S24; mutants, gene-for-gene resistance, S8
Arbogast, M., S4
Arbutus menziesii, canker, role of stress, S27
Archambault, C., S4
Arévalo Gardini, E., 1220, S35
Aricapa, G., S21
Arifi, A., S87
Armillaria spp.: distribution in California, S7; on ponderosa pine, soil and weather factors, S46
—*A. mellea*, on pear, water potential, S102
Arriola, L., 1240
Arseniuk, E., S5
Ascochyta spp., three species identified, DNA, S97
Ascomycetes, species differentiation, PCR primers for amplification, S109
Ash
—dieback, drought as cause, Maine, S59
—yellows, phytoplasma strains, S35
Askary, H., 359
Aspen, ozone effect in field, injury, S107
Aspergillus spp., aflatoxin biosynthesis and sterigmatocystin, 643
—*A. flavus*: aflatoxin B1 synthesis, carotenoid effect, 814; aflatoxin biosynthesis, inhibition with phenolics, S45; aflatoxin biosynthesis, regulation, S21; aflatoxin biosynthetic pathway, mutation, S12; on corn, kernel wax effect, 529; corn kernel infection, resistance, 1144; on corn kernels, aflatoxin biosynthesis, 164; on corn seed, aflatoxin biosynthesis, 622; in cotton, biocontrol with atoxigenic strain, 940; effect on *Fusarium*, S12; fluorescent protein, expression, S26
—*A. nidulans*, cleistothecia formation, plant metabolite effect, S14
—*A. parasiticus*, *pacC* gene, characterization, S78
Aster, yellows, on periwinkle, growth regulator effect, S107
Atiri, G. I., S45
Atkinson, K., S16
Aureobasidium pullulans, on onion leaves, effect on *Botrytis eclada*, 634
Averre, C. W., S77
Awasthi, R. P., S90
Ayala, C. C., 375
Aylor, D. E., 628, S5
Azad, H. R., S5

Bachand, G. D., S5, S46
Bacillus spp.: on canola, blackleg, S51; in wheat rhizosphere, population dynamics, 559
—*B. amyloliquefaciens*, biocontrol agent, antifungal peptide in, S107
—*B. thuringiensis*, endotoxin protein, ELISA detection, S105
Baenziger, P. S., S102
Baider, A., 191
Bailey, B. A., 1220, S4, S5, S35, S41, S61, *779*
Bailey, J. E., S5
Bailey, K. L., S11
Bains, P. S., S6
Baker, C. J., S6
Baker, J., S45
Baker, S. H., S12
Bakker, J., 839
Bakker, P. A. H. M., 138, S112
Balardin, R. S., 1184, S6
Balbalian, C. J., S6
Ball, E. M., S31
Banana
—black sigatoka, propiconazole sensitivity, 96
—heart rot, etiology and control, S53
—nematodes and fungi on roots of, biocontrol factors, S87
—Panama disease, clonal lineages, 915
Banana bract mosaic virus, abaca mosaic virus comparison, properties, 698
Banana streak virus
—diagnostic development, S97
—on plantain and banana in Nigeria, S22
Bandla, M. D., S6, S75
Banerjee, N., S6, S36, S103
Barak, J. D., S53
Barassi, C. A., S60
Barbosa, J. G., S83
Barley
—basal kernel blight, biocontrol, S11
—*Cochliobolus sativus* on: endopolygalacturonase and cytology, 1148; virulence genetics and resistance, 1140
—*Fusarium graminearum*, inoculation methods, S29
—powdery mildew, cDNA in genes, S73
—rust, resistance inheritance, S18
—scald, fungicides, S69
—trichothecenes in florets, *Fusarium graminearum* infection, S29
Barley stripe mosaic virus, coat protein, reporter genes, S108
Barley yellow dwarf virus
—aphid vectors in winter wheat, in South Carolina, S35
—diversity in New York, S6
—rapid identification by RT-PCR and solution hybridization, S31
—readthrough protein, aphid transmission requirement, S36
Barnard, J., 184
Barrera, P. S., S6, S111, *779*
Barreto, R. W., S67, S68
Barrios, H. A., S3
Barroga, J., S89
Bartlett, D. W., S2
Barton, W., S44
Bartoszyk, I. M., S56
Bartz, J. A., S6, S57
Basson, E. J., S43
Batten, J. S., S7
Batzer, J. C., S117
Bau, H. J., S107
Baudin, P., 316
Bauer, D. W., S7, S24, S52, S80, S96
Bauer, P. J., 678
Bauer, W. D., S39
Baumgartner, K., S7
Bazzi, C., 706
Beach, S., S7
Bean (see also *Phaseolus*)
—nodulation, ethylene effect, chitinase induction, S98
—root rot, green manure effect, in Uganda, S80
—virus resistance in, RAPD markers, S94
Bean dwarf mosaic virus, dynamics of infection, protein gene, S95
Bean golden mosaic virus, geminiviral replication, inhibition, S39
Beatty, P., S51
Bécard, G., S25
Beck, J. J., S7
Becker, D. M., S7
Beck von Bodman, S., S7
Becton, C. B., S83
Beer, S. V., S7, S10, S24, S38, S52, S80, S96
Beery, W., S72
Beet curly top virus, genotypic diversity, western USA, 737
Beet soilborne mosaic virus, nucleotide sequence and genomic organization, S83
Beet western yellows virus, mutations, persistence in aphid, S99
Beet yellow stunt virus, coat protein gene, S50
Beet yellows virus
—proximal encoded proteins, serological characterization, S40
—RNA characterization, in plants and protoplasts, 347
—on sugar beet, aphid transmission, 766
Bélanger, R. R., 634, S18
Belarbi, A., S87
Bell, A., S21
Bell, T. K., S117
Bellotti, A., S3
Beltran, J. D., S8, S32
Bemisia tabaci
—geminivirus DNA in hemolymph of, PCR monitoring, S83
—tomato yellow leaf curl virus vector, quantitation, 610
Ben-Arie, R., 203
Bender, C., S76
Benhamou, N., 108, 359, S8, S18
Beniers, J. E., 862
Benson, D. M., S8
Bent, A., S8
Bentgrass (see also Turfgrass)
—brown patch, radiometry application, S114
Benyagoub, M., S8
Ben-Yehuda, P., S62
Bergamin Filho, A., 506, 1005
Berger, G., 799
Berger, R. D., 506, 1005, 1084, S31, S49, S59, S67, S92
Bergmann, C. W., 1148
Bergstrom, G. C., S22, S88, S94
Berkett, L. P., S8
Bernatzky, R., 751
Bernier, L., S8, S28, S78
Berthier-Schaad, Y., S8
Bertrand, P. F., S74
Beuerlein, J. E., S71
Beute, M. K., S89, S112
Bewick, T. A., S50
Beyer, D. M., S4
Bianciotto, V., S59
Biehn, W. L., S96
Biggs, A. R., S9
Bijman, V. P., S67
Bikoe, J. C. F., S105
Biles, C. L., 1020, S108
Biological control
—apple fire blight, blossoms, 1096
—*Aspergillus flavus*, in cotton bolls, atoxigenic strain, 940
—*Bacillus* and *Pseudomonas* in wheat rhizosphere, population dynamics, 559
—*Bacillus* sp., for wheat root diseases, tillage effect, 551
—bacteria to *Fusarium* on potato, 177
—bacterial antibiotics against turf pathogens, 614
—bacterial population size on leaves, increase methods, S103
—biofungicide products, *Trichoderma harzianum*, field trials, S40
—dyer's woad with *Puccinia* sp., phylogeny, 565
—fungi antagonistics to *Botrytis aclada* on onion, 634
—fungi for grass weed control, survey, S11
—*Fusarium* pathogenicity factor for antagonistic pseudomonads, S26
—hairy vetch-amended soil to *Thielaviopsis basicola*, 197
—modeling dose-response relations, host responses, 720
—*Pichia guilliermondii* to *Penicillium digitatum* on grapefruit, 310
—pseudomonads, zinc amendment effect, S26
—*Pseudomonas aeruginosa* for *Botrytis cinerea* on bean, 588
—*Sclerotium* and *Verticillium* by *Talaromyces*, mechanisms, 1054
—*Talaromyces flavus*, efficiency, carbon, nitrogen, and C:N ratio, 500
—tomato crown and root rot, zinc role, 1250
—*Trichoderma harzianum* on cucumber, 332
—*Verticillium lecanii* for cucumber powdery mildew, 359
Bipolaris oryzae, on wild rice, host range, S67
Bird, G. W., S9
Birrenkott, G. P., S113
Bisaro, D. M., S70
Bishop, D. L., 1125
Bisht, V. S., S6
Bissegger, M., 50
Bjvrkman, T., S40
Blacharski, R., Jr., S6
Black, L. L., S19
Blackmon, B., S109
Blade, S. F., S46
Bliss, W. O., S105
Block, C. C., S9, S89
Blodgett, J. T., 422, 429, 606, S9
Blomquist, C. L., S9
Blua, M., S23
Blueberry
—Botrytis blossom blight, fungicide efficacy, S115
—mummy berry disease, apothecium production, 218
Blum, L. E., S9
Blumeria graminis, on wheat, resistance identification, S89
Bobish, J., S9
Bock, C. H., S10
Boehm, M. J., S63
Bogdanove, A. J., S7, S10, S52
Boland, G. J., 147
Bolar, J. P., S10
Bolda, M., S99
Bolkan, H., S85
Bonde, M. R., S8, S10, S91
Bonfante, P., S59
Bordas, A. C., S10
Bordeos, A. A., 284
Borejsza-Wysocka, E. E., S10
Borejsza-Wysocki, W., 868, S10
Bosco, D., 610
Bostock, R. M., 161, S10, S30, S63, S85, S101
Bothast, R. J., 177
Botryosphaeria dothidea, *B. ribis* complex, heterogeneity, S91
Botrytis spp.
—*B. aclada*, on onion, fungi antagonistic to, interaction, 634

—*B. cinerea*: antagonists to, technique, S67; on bean, systemic induced resistance by *Pseudomonas*, 588; on fruits and vegetables, postharvest activity, 772; fungicide resistance, in South Carolina, S116; on grape, latent infection and postharvest decay, S43; pathogenic variability, S17; on strawberry, latent infection, S15; on tomato and cucumber, integrated, biological-chemical control, 332
Bottin, A., 899
Boudreau, M. A., 828
Bouzar, H., S49
Bowen, K. L., S13
Bowers, J. H., S11
Boyd, M. L., S15
Boyetchko, S. M., S11
Boyette, C. D., S1, S11
Bradford, J., S35
Bradley, C. A., S11
Bradshaw, T., S8
Bragard, C., 1111
Brantner, J. R., S103
Brasier, C. M., 576, S28
Brassica spp., phytoalexins, pathogen reactions, S76
—*B. juncea*: resistance to *Leptosphaeria maculans*, inheritance, 594; white rust and downy mildew, resistance, S90
—*B. napus*, seed meal, toxicity to *Aphanomyces euteiches*, 77
Brault, V., S99
Braun, A., S11
Braun, E. J., S75
Braun, K., S11
Braun, P. G., 184
Brazee, R. D., S54
Brecke, B. J., S49
Bremia lactucae, on lettuce, irrigation comparison, 877
Brenneman, T. B., S12
Breth, D. I., S67
Breuker, B., 1103
Brisson, L., S106
Brito, R. P., S83
Brodeur, J., 359
Brooks, J. C., S12, S111
Brown, C. R., S25
Brown, G. E., S12
Brown, J. K., S46, S83
Brown, M. P., S12
Brown, P. D., 77
Brown, R. L., 529, 1174, S12, S19, S37
Brown, S. K., S10, S53
Bruckart, W. L., S12, S61, S85, S88
Brumfield, S., S11
Bruton, B. D., 1020, S77, S108
Bruyère, A., S99
Bryan, H. H., S78
Bucki, P., S13
Budde, I., S13
Bukhalid, R. A., S13
Bull, C. T., S13
Bulluck, L. R., III, S13
Bunyard, B., S40
Burch, K. B., S13
Burd, A. D., S117
Burdon, J. J., 488, 664
Burleigh, J. R., S14
Burner, D. M., S74
Burnside, J., S29
Burow, G. B., 642, S14
Burpee, L. L., S81, S114
Burr, T. J., 706, S41
Buruchara, R., S76, S80
Busch, R. H., S61
Bush, B., S14
Bustamam, M., 302
Butterfield, E. J., S34
Butternut, canker, resistance screening methods, S93
Buyer, J., S82
Byrne, J. M., S14, S68

Cabbage
—black rot, resistance, S2
—*Sclerotinia sclerotiorum* on, clonality in North Carolina, 1000
Caciagli, P., 610
Cai, W., S34
Callahan, A. M., S87
Calvo, A. M., S14
Campbell, C. L., 242, S112
Campbell, G. F., S14
Campbell, H. L., S14, S48
Campbell, K. W., 1144
Campbell, L. R., S6
Camper, N. D., S111
Candida oleophila, genes for pigment, S16
Candole, B. L., 197
Candresse, T., 397
Canini, A., S113
Canola
—amendment for snap bean, emergence, S92
—root-knot nematodes, resistance, S115
—Sclerotinia stem rot, seeding rate and yield, S77
Cantaloupe (see also Melon, Muskmelon)
—postharvest decay, isozymes, 1020
Capdevielle, F., S16
Capsicum spp. (see also Pepper): pepper mosaic, etiology in Jamaica, S69
—*C. annuum*: pepper mottle virus, phloem-dependent movement, 892; Phytophthora blight, no-till wheat cover crop for, 242; Phytophthora root rot, resistance and phenol biosynthesis, S29
Cardwell, K. F., S14, S21
Carisse, O., S8, S15
Carlton, W. M., 209
Carneiro, S. M. T. P. G., 506
Carranza, J., S33
Carras, M. M., S98
Carrillo, D., S21
Carris, L. M., S15, S78
Carroll, R. B., S64, S87
Carrot
—Alternaria leaf blight, gibberellic acid for control, S85
—root-knot nematode, symptoms in New York, S1
Carson, M. L., S15
Carsten, L. D., S25
Cartwright, R. D., S1
Caruso, F. L., S15
Carvalho, M. G., S84
Carver, L. M., S15, S111
Cary, J. W., S37
Cassiolato, A. M. R., S15
Castanea spp., blight resistance, molecular mapping in interspecific cross, 751
Castello, J. D., S5, S46
Catranis, C. M., S15, S79
Cauliflower
—*Verticillium dahliae* on, irrigation effect, S105
—Verticillium wilt, microsclerotial spatial patterns, 325
Cauliflower mosaic virus
—on *Arabidopsis thaliana*, resistance, 792, S7
—on turnip, cross protection effect, S9
Cavaletto, J. R., 164
Cease, K. R., S16
Cecidophyopsis ribis, vector for black currant reversion disease virus, 404
Celebi, F., S16
Celio, G. J., S16
Centaurea spp., *Puccinia* spp. on, sequence analysis, S61
Centurion, P., S16
Ceratocystis spp.
—*C. eucalypti*, mating type switching, idiomorph relation, S95
—*C. fagacearum*, toxins, bioassays for detection, S82
Ceresini, P. C., S15
Cevik, B., S70
Chacón, M. I., S3, S76
Chaetomium globosum, on onion leaves, effect on *Botrytis eclada*, 634
Chakrabarty, A., S76
Chakrabarty, P. K., 1160
Chakraborty, S., S16, S39, S102
Chalutz, E., 310
Chambers, M., S12
Chand-Goyal, T., S16, S93
Chandler, C. K., S57
Chandramohan, S., S16, S17
Chandrika, R., S17, S62
Chang, C. A., S75
Chang, C. J., S17, S74, S107
Chang, K. F., S17, S46
Chang, M.-M., S38
Chao, C. H., S106
Chao, C. P., S53
Chao, C. T., 71
Chapin, J., S35
Charchar, M. J. d'A, S16
Chardonnet, C. O., S17
Charest, P. C., S46
Charest, P. M., S4
Charkowski, A. O., S10, S17
Charudattan, R., S16, S17, S49, S50, S92
Chatenet, M., 316
Chatterjee, A. (Ga.), S75
Chatterjee, A. K. (Mo.), S18, S69
Chellemi, D. O., 250, S20
Chen, C. (Canada), S18
Chen, C. C. (Taiwan), S18, S106
Chen, C. J. (Taiwan), S106
Chen, J., 295, S3
Chen, M. J., S18
Chen, S. P., S53
Chen, T. C., S106
Chen, W. D., S18, S108
Chen, X. (China), S89
Chen, X. (Pa.), S18, S73
Chen, X. M. (Wash.), S18
Chen, Z. X., 273
Chen, Z.-Y., 1174, S19
Cheng, Y. H., S106, S107
Chérif, M., 108
Cherry
—sour, brown rot blossom blight, incubation period, 42
—sweet, postharvest diseases, fungicide for, S51
Cherry mottle leaf virus, detection with PCR and cDNA probes, S47
Chestnut, blight, hypoviruses as biocontrol, 1026
Chili, pesticide use patterns, in Sri Lanka, S14
Chittoor, J. M., S110
Chiu, R. J., S18
Cho, Y., S41, S71
Choi, T.-J., S19
Choi, W., S19, S111
Chong, S. K., S61
Christian, D., S31, S57
Chu, M. H., S19
Chun, S.-C., S19
Chun, W. W. C., S79, S87
Chung, H. S., S3
Chung, K.-R., 599
Chung, S., S13
Chung, W. S., S19
Circulifer tenellus, *Spiroplasma citri* infection, cytopathology, S55
Citrus
—canker, dynamics in Florida, S34
—green mold: Aspire effect, S12; postharvest, heat for control by imazalil, S91
—gummosis and root rot, resistance evaluation, S63
—nematode and *Phytophthora*, relation, S35

—*Phytophthora* diseases, mulch and biocontrol agents, S27
—viroids, citrumelo rootstock in Florida, S57
—viruses, tissue immunoprints, S32
Citrus tatter leaf virus, characterization, Texas isolate, S41
Citrus tristeza virus
—antigenic structure, S70
—on cultivars in Texas, S91
—defective of RNA, S42
—detection in mixed infections, S62
—Florida and California isolate comparison, S42
—strains in Florida, Portugal, and Reunion Islands, S70
—survey strategies, S45
Claflin, L. E., S24, 779
Clark, A., S9
Clark, C. A., S19, S46, S90, S93, S98
Clavibacter spp.: phylogeny and classification, rDNA sequence, S56; plant-bacterial interaction, molecular biology, S37
—*C. michiganensis*: on potato, detection, DNA sequences, 853; on potato, hypersensitivity, S70; on potato, *Pseudomonas* on tomato comparison, S87; seed health assay for, S89; on tobacco, hypersensitivity, 678; in tomato, detection in seed, S75
—*C. purpurea*: gene identification, S71; peptide synthetase genes, analysis, S4
—*C. xyli*: in bermudagrass, xylem fluid effect, S37; ratoon stunting disease, detection method, S44; on sugarcane, detection using PCR, S74
Clay, R. P., 1148
Clayton, M. K., 33
Cleveland, T. E., 164, 529, 1174, S12, S19, S37
Clover yellow vein virus, properties and variability, 1014
Cochliobolus sativus
—on barley: endopolygalacturonase, cytology, 1148; virulence genetics, 1140
—xylanase genes, S28
Cocoa, black pod disease, in Cameroon, S105
Coconut, Tinangaja, on Guam, S101
Codallo, M., S78
Cody, B. R., 1000
Coelho, L., S20
Coertze, S., S43
Coffea arabica, gene promoters, cloning, S31
Cohen, L., 310
Cohen, S. D., S20
Cohen, Y., 191
Cohn, M. A., S19
Coker, P. S., S111
Colbach, N., 26
Colletotrichum spp.: on alfalfa, genetic characterization, RFLP application, 745; on cucurbit fruit, virulence, S102; splash dispersal and rain effect, S70, S71; on strawberry, in Israel, 516; on turfgrass, isozyme variation, S44
—*C. acutatum*: on almond and peach, in California, 979; on strawberry, plant density effect, 828; on strawberry, splash dispersal effect, 649
—*C. gloeosporioides*: infectivity, oils and fatty acids, S115; on pepper, wax layer effect, S71; vegetative compatibility, genetic analysis, S36
—*C. graminicola*, spore germination, ion transport, S99
—*C. lindemuthianum*: on bean, pathogenic variation and genetic diversity, 807; variability, gene pool, S6; virulence and molecular diversity, in North, South, and Central America, 1184
—*C. orbiculare*, on muskmelon, physiologic specialization, S27
—*C. truncatum*: hemp sesbania control, S11; virulence and temperature effect, S1
Collins, G. B., S105
Collins, I., S82
Collmer, A., S10, S17, S38
Colucci, G., S59
Computer, environmental chamber control, aerial fungal spore release, 1078
Computer data online, microbial germplasm database, S68
Comstock, J. C., S40
Conlin, A., S17
Connell, J., S39
Connolly, J. H., S20, S48
Conway, W. S., S17, S20, S47, S106
Cook, D. R., S51
Cook, R. J., 551, 559
Cook, T., S11
Cooksey, D. A., S5
Cooper, P. E., S42
Copes, W. E., S20, S66
Coplin, D. L., S7, S21, S39
Cordova, H., S48
Corio-Costet, M.-F., 670
Corn
—aflatoxin, corn borer relation, S103
—aflatoxin produced in, resistance inheritance in inbreds, 1144
—antifungal proteins, immunochemical localization, S37
—Aspergillus ear rot and aflatoxin resistance, inheritance, S38
—*Aspergillus flavus* on kernels: aflatoxin biosynthesis, 164; resistance, S19; resistance and kernel wax effect, 529
—*Aspergillus parasiticus* on, genotypic diversity in Illinois, S64
—*Bipolaris maydis*, electrolyte leakage and oxygen depletion, S8
—bulgarian virus isolates, molecular characterization, S54
—downy mildew, eradication in Nigeria, S14
—fungicide seed treatment and soil insecticide interaction, S53
—Fusarium ear rot and symptomless infection in kernels, corn borer resistance, 1071
—*Fusarium moniliforme*, infection pathway, 209
—gray leaf spot: pathogen variability, S15; peroxidase to predict resistance, S32
—High Plains pathogen, seed transmission, S60
—northern leaf blight, hybrid resistance in Florida, S114
—Phaeosphaeria leaf spot, vulnerability in USA, S15
—protein accumulation, germination and antifungal activities, 1174
—rust, resistance, 236
—seed proteins, *Aspergillus flavus* inhibited by, aflatoxin biosynthesis, 622
—soil nematode community, production system effect, S61
—soilborne fungi, tillage and planting date effect, S6, S111, 779
—stunt, screening for resistance, S48
—sweet: bacterial leaf blight, *shrunken-2* gene, S76; High Plains virus in seed transmission, S31; hybrid reactions over thirteen years, S27
Cornus florida, anthracnose, in southern USA, S115
Correa-Victoria, F. J., S21, S87
Correll, J. C., S36, S39, S42, S59, S102
Cote, R., S55, S56
Cotton
—bacterial blight, cotton *R* genes role, 1160
—boll rot, fungicides for, S65
—*Fusarium* and nematode interaction, inoculum density and phenology, 341
—root rot and wilt, plasmids, S21
—seed increase, aflatoxin content in Arizona, S10
—sooty mold, photosynthesis effect, S28
Cotton leaf curl virus, molecular characterization, in India, S75
Cotty, P. J., 940, S10, S21
Coutinho, T. A., S93
Cowan, G. H., 295
Cowpea
—calcium in hypersensitive response, S105
—rust: cytoskeleton changes, cell death, S91; hypersensitivity, ultrastructure, S68
—stunt viruses of, germplasm screening, S65
Cowpea stunt virus, biological and molecular characterization in Arkansas and Georgia, S24
Cram, M. M., S111
Cranberry
—fruit rot pathogens, two growing season comparison, S94
—fungal pathogens, identification by dot-blot hybridization, S57
—fungi in berries from early and late water beds, S15
—Phytophthora root rot, resistance detection, S73
Creamer, R., 347, S40
Criconemella xenoplax, *Pseudomonas aureofaciens* effect on egg hatch, S113
Cronartium ribicola, genetics of populations, S38
Crop management (see also Disease Management)
—wheat take-all, disease cycles, 26
Crous, P. W., S14, S88
Crozier, J. B., S21
Cruz, W. T., 302
Cryphonectria parasitica
—on chestnut: hypoviruses in, diversity, 1026; population structure, disease and hypovirulence, 50; vegetative compatibility genes, S6
—hypovirulent isolates, recovery in West Virginia, S59
—hypovirus replication, fungal transport vesicles, S64
—intra-canker dynamics, S85
—sex pheromone precursor genes, S50
—vegetative compatibility group diversity, in Michigan, S23
Cubero, B., S32
Cubeta, M. A., 480, 1000
Cucumber
—*Botrytis cinerea*, integrated, biological-chemical control, 332
—leaf spot diseases, spatial aggregation, S112
—powdery mildew: resistance sources, S9; suppressed by *Verticillium lecanii*, 359
—*Pythium aphanidermatum*, resistance induced by bacteria, S18
—systemic resistance, iron regulation, S79
Cucumber mosaic virus
—on potato, resistance, S16
—on *Salvia*, identification, S43
—on spinach, seed transmission, 924
—structural motif and necrogenic domain, analysis, S82
—on tomato, epidemic, S69
—on transgenic tobacco, resistance, S103
Cucumis sativus, *Rhizoctonia solani*, biocontrol with rhizobacteria, S81
Cucurbit
—diseases in Guam, S86
—powdery mildew: fungicide resistance, S64; host range, S90
Cui, Y., S18, S21, S69
Culbreath, A. K., S47, S74, S75, S115
Cunfer, B. M., S5, S21
Cuppels, D. A., S14, S58
Curvularia spp., on sedges and rice, histopathology, S23
Cyahus olla, biocontrol agent, S90
Cylindrocladium scoparium
—fumigant for, field application, S117
—soilborne propagules, enumeration, S117
Cynodon dactylon, nematode, golf greens, S94
Czembor, P. Cz., S5

da Cámara Machado, A., S38
da Cámara Machado, M. L., S38
Dactylaria higginsii, on purple nutsedge
—field efficacy, S49
—interference with tomato and pepper, S50
Dahal, G., S22, S97
Daleo, G. R., S63, S97
Dally, E. L., S49
da Luz, W. C., S22, S94
Damann, K. E., S44, S74
Damsteegt, V. D., S40, S87
Dan, H., S22
Dann, E. K., S22
Dargent, R., 899
Darlington, L. C., 1220, S5, *779*
Datnoff, L., S22, S87
Daub, M. E., S22, S41, S67
Davelos, A. L., S23, S85
Davenport, J., S9
Davis, C., S12
Davis, E. L., S106
Davis, F. M., S103
Davis, K. R., S108
Davis, M. J., 316, S23
Davis, R. E., S49, S56
Davis, R. M., S37, S85
Davoli, T. A., 1084
Dawson, W. O., S17, S50, S70
Day, A. W., S92
Day, J. L., S77
Daykin, M. E., S77
Deacon, J. W., 522, S101
Deahl, K. L., S6, S87
Dean, R. A., S12, S19, S29, S33, S92, S101, S109, S111, S112, S113, S115, S116
De Boer, J. M., 839
De Boer, S. H., 678
de Bruijn, F. J., S49, S60, S81
Défago, G., 1250, S26
Deising, H., 1272
Delaney, T. P., S24
Delen, N., S23
DeLuna, L. Z., S23
Délye, C., 670
DeMackiewicz, D., S23
De Meyer, G., 588
Dendryphion penicillatum, on poppy, seedborne, S73
Deng, S., S23
Deng, T.-C., S106
Denmon, L., S115
Denny, T. P., 1264, S84
Deom, C. M., S23
Derksen, R. C., S54
Dery, P. D., S82
de Saint-Albin, A., 1202
De Souza-Dias, J. A. C., S24
Dessaux, Y., S78
DeVay, J. E., 341
Devi Prasad, P. V., S57, S69
Dewar, K., S8
Dewey, F. M., 123, S57
De Wolf, E. D., 83, S24
DeYoung, R. M., S109
de Zoeten, G. A., S104
Di, M., 494
Diagnosis, computer use, with Web-based prototype, S68
Diallo, H. A., S24
Diaporthe ambigua, vegetative incompatibility, S91
Dick, W. A., S108
Dickson, D. W., 273
Didymella bryoniae, *Phoma* spp. differentiated from, PCR identification, S92
Diers, B. W., S22
Dijst, G., 534
Dill-Macky, R., S24, S29, S61
Ding, X. S., S24
Dioscorea spp., viruses of, in Nigeria, S45
Diourte, M., S24, *779*
Discula destructiva, phytotoxins, extraction and purification, S116
Disease incidence, spatial hierarchy, relations, 542
Disease management (see also Crop Management)
—angular leaf spot of bean, 506
Disease risk assessment, multistate network, western USA, S96
Dombrink-Kurtzman, M. A., S1
Domek, J. M., S6
Donaldson, R., S17
Dong, H., S24
Dongo, L., S45
Donzelli, B., S25
Dorrance, A. E., S25
Doster, M. A., S25
Doucett, K., 375
Doudrick, R. L., 751
Douds, D. D., S25
Doughty, K. J., S90
Douglas, L. I., S25
Douglas, M. P., S79
Downer, A. J., S25
Drechslera poae, antagonism by *Pseudomonas fluorescens*, biocontrol, 614
Drennan, J. L., S25
Drenth, A., 822, 992
Driever, G. F., S26
Droby, S., 310, S16
Dron, M., 807
Druffel, K., S56
Du, W.-L., S26, S30
Duan, Y. P., 1160
Dubey, T., S26
Duellman, K. M., S71
Duffey, S. S., S30
Duffus, J. E., S50, S58, S104
Duffy, B. K., 1118, 1250, S26
Dufour, J., S8
Dullemans, A. M., S100
Dumenyo, C. K., S18
Duncan, G. H., S33
Duncan, K. E., S26
Duncan, L. W., S35
Dunez, J., 397
Duniway, J. M., S49
During, K., S53
Dusabenyagasani, M., S27, S38
Dute, R., 892
Duthie, J. A., 1088, S26
Dutilleul, P., 414
du Toit, L. J., S27, S114
Dutton, S. R., S69, S114
Dvorak, T. J., S1

Eastburn, D. M., S50
Eastwell, K. C., S90
Eayre, C. G., S27
Echinacea purpurea, culture in vitro, S111
Eckert, J. W., S16
Edel, V., 693
Edmonds, R. L., S27
Egel, D. S., S27
Eggenberger, A. L., S27
Eggplant, Verticillium wilt, cultivar effect, S30
Ehrenshaft, M., S22
Eilam, Y., 310
Elad, Y., 332
El-Allaf, S. M., S112
Elderberry latent virus, Pelargonium ringspot virus compared to, S52
El-Ghaouth, A., 772
El-Hamalawi, Z. A., S27
Elias, K. S., 1220
Elizarraraz, G., 259
Ellingboe, A. H., 71, S52
Elliott, C., S22
Elliott, M. (Wash.), S27
Elliott, M. L. (Fla.), S27
Elliott, V. J., S28
Ellis, M. A., S28, S70
Ellis, R. P., S69
Elm, Dutch elm disease
—genetic linkage map, S8
—temperature and light effect on defoliation, 576
Elmer, W. H., S28, S30
Emami, K., S28
Endothia parasitica
—*Castanea* spp., molecular mapping, 751
—chestnut blight, population structure and hypovirulence, 50
Engelkes, C. A., 500
English, J. T., 446
Enterobacter cloacae, population dynamics, seed exudation, S82
Epichloë typhina, host specificity genetics, 599
Epidemic, spatiotemporal, mechanisms, letter to editor, 139
Epidemiology
—farming systems, basis for understanding, S83
—foliar parasite models, 1088
—lesion expansion as component, 1005
Epstein, A. H., S28
Erickson, E. O., 784
Errata
—vol. 86, no. 7, 1996, *1179*
—vol. 87, no. 6 (suppl.), 1997, *779*, *1084*
Erwinia spp.
—*E. amylovora*: on apple, New York, S67; on apple, research model, 1096; bacteriophage effect, S73; harpin, plant growth and disease effect, S7; harpin, resistance, S96; *hrp* gene cluster, S10; on pome fruit, biocontrol, bacterial nectar, S80; protein homologs, *Hrp*-secreted and avirulence, S52
—*E. carotovora*: extracellular enzymes and virulence, genes, S69; regulatory locus identification, extracellular enzymes, S18; on witloof chicory, population dynamics, S86
—*E. chrysanthemi*: genes encoding hemolysin, hemolytic activity, S38; polyclonal antibodies, S113
—*E. stewartii*: exopolysaccharide biosynthetic cluster, mutation, S21; virulence, exopolysaccharide synthesis, S7
—*E. tracheiphila*, weeds and reservoirs, serological detection, S23
Erysiphe spp.
—*E. cichoracearum*, on cucumber and arabidopsis, fluorescence microscopy technique, S26
—*E. graminis*, on barley, fluorescence microscopy technique, S26
Erythroxylum coca, Fusarium wilt, Peru epidemic, 1220
Escande, A. R., S3, S13, S60, S63, S77, S81
Escobar, F., S21
Escobar, X. C., 375
Eshel, A., 60
Eskandari, F., S12
Esposito, S., S59
Esquerré-Tugayé, M. T., 899
Et-Touil, A., S28, S38
Eustoma grandiflorum, Fusarium crown and stem rot, outbreaks in Florida, S64
Eutypa lata, on grape, pathogenicity variation and genetics, 799
Evans, C. K., S29
Evans, N., S66
Evans, T. A., S29
Exserohilum turcicum, on corn, resistant lines, S48
Eyal, Z., 60, S62, S78
Ezelle, J. E., S103

Fabritius, A.-L., 1034, S49
Fagoaga, C., S47
Fahnert, M. L., S77
Fairbrother, T. E., S65
Fang, E. G. C., S29
Fang, G.-C., S112
Fargette, D., 1243
Farkash, S., 191
Farnham, M. W., S92, S113, S115
Farrand, S. K., S61, S77, S103, S108
Farris, H. E., S113
Febres, V. J., S70
Fegan, M., S29, S102
Feibelman, T., S21
Feldmann, P., 1202
Felts, D., S66
Fender, S., S58
Feng, F., S106
Ferguson, A. J., S29
Fernandes, C. D., S16
Fernandes, M. C., S83
Fernandez, D., S78
Fernandez, G. E., S15
Fernandez-Pavia, S., S29
Fernando, W. G. D., 414, S30, S73
Ferrandino, F. J., S30, *1179*
Ferreira, S. A., S30
Ferrer, A., S33
Fery, R. L., S96
Fescue (see also Turfgrass)
—Bipolaris leaf spot, biocontrol, S108
—brown patch, mowing and nitrogen fertility, S100
Festuca arundinacea
—endophyte of, ergot peptide alkaloid, S88
—seed germination, endophyte, S117
Fidantsef, A. L., S30
Filippone, E., S59
Filonow, A. B., S30
Finckh, M. R., 66
Fitch, M., S30, S96
Flaherty, J. E., S26, S30
Flego, D. C., S60, S81
Fleischer, S. J., S23
Fletcher, J., S55, S65, S107
Flieger, M., S88
Flint, K. M., 565
Flora, E. A., S53
Florini, D. A., S86
Fokkema, N. J., 634
Follis, J. E., S112
Forbes, G. A., 375, S73
Forcelini, C. A., S31
Forest
—Adirondack preserve, quantifying disease, S62
—disease libraries, pest-image software, S113
—tree pathogens, peptide antifungal activity, S46
—tropical rain-, polypore fungi, diversity and density effect, S33
—woody debris, bacteria and deterioration, S114
Forster, R. L., S31, S94
Fouca Bikoe, J. C., S105
Fox, R. D., S54
Fragaria multicipita, phytoplasma disease, evidence, S49
Francis, D. M., 454
Francl, L. J., 83, 154, S24
Fravel, D. R., 500, S35, S56
Freeman, S., 516
Freitas, L. G., 273
French, J. V., S91
French, R., S31, S108
Friel, P., S38
Fry, B. A., 375
Fry, W. E., 375, 973, S32, S57, S63, S67
Fujimoto, D. K., S31, S57, S89
Fukui, Y., S72
Fulbright, D. W., S6, S23
Fuller, M. S., 1148
Fulton, L. K., S113
Fungi
—spore release, aerial, environmental chamber for study, 1078
—undescribed, quantity, 888
Fungicides (general) (see also Fungicides, specific)
—aflatoxigenic fungi and aflatoxin production, S23
—protectant, sensitivity to *Phytophthora infestans*, 973
—rates related to initial waves and epidemics, S31
—registration update, minor-use, S96
—seed treatments, market factors, S14
—sterol demethylation inhibitors, apple scab, 184
Fungicides (specific) (see also Fungicides, general)
—Abound, grape disease control, broad spectrum, S2
—ammonium bicarbonate, for *Alternaria solani* and *Rhizoctonia solani* control, in Florida, S22
—kresoxim-methyl for apple and grape, S34
—metalaxyl, *Phytophthora infestans*, genetic analysis, 1034
—Pencycuron, for root rot and take-all of wheat, S26
—propiconazole, banana black sigatoka, 96
—triadimefon, *Uncinula necator* resistant to, 784
Furnier, G. R., S101
Fusarium spp.: in cereals, seed microbialization for control, S22; on corn ears, corn borer engineered resistance, 1071; moniliformin, duckling toxicity, S100; on sorghum, Pokkah Boeng etiology, S24
—*F. avenaceum*, on lisianthus, vegetative compatibility, S28
—*F. graminearum*, on wheat, dispersal gradients, 414
—*F. lateritium*, on sweetpotato, isolates, S46
—*F. moniliforme*, on corn kernels, pathways, 209
—*F. oxysporum*: on banana, clonal lineages, 915; biocontrol for *Erythroxylum coca*, S5, *779*; on *Cannabis sativa*, vertical movement in soil, S97; on cocoa, epidemic in Peru, genetics, 1220; on cocoa, seed dispersal, S35; on cotton, nematode relation and inoculum density effect, 341; on date palm, PCR detection method, S78; on *Erythroxylum coca*, pathogenicity and stability, S61; on four plant species, soil population comparison, 693; genetic diversity, symposium, 474; necrosis-inducing protein, gene disruption, S4; in soil, botanical extract effect, S11; sporulation and aerial dissemination, 712; on sweet potato and tobacco, isolate relations, S19; on tomato, airborne inoculum, S50; on tomato, *Pythium oligandrum* as mycoparasite, 108; on tomato, virulence variation and DNA polymorphism, S97; vegetative compatibility group, hyphal fusion, S90; virus-like particles in, dsRNA, S104
—*F. proliferatum*: on asparagus, vegetative compatibility, S28; on rice, mycotoxins, S1
—*F. sambucinum*, on potato, biocontrol, 177
—*F. solani*: on cantaloupe fruit, endopolygalacturonase production, S108; on cucurbit and pumpkin, virulence, S25; on pea, fungal DNase and chitosan heptamer, S38; on pea, soil receptivity factors, 534; on potato, identification and PCR diagnosis, S60; on soybean, population dynamics on residual roots, S61; on soybean, resistant genotypes, S45; on soybean, vital staining and phytotoxicity, S58
—*F. subglutinans*, mating type, amplification, S93
Fusco, L., S1
Fyffe, A. E., S87
Gabriel, D. W., 1160
Gad El-Karim, Gh. A., S97
Gadoury, D. M., 1046, S31
Gaeumannomyces graminis, on wheat
—biocontrol and tillage relation, 551
—management, 26
—molecular diagnostic test, S81
—surface antigen in mycelium, monoclonal antibody, 123
—*Trichoderma* suppression, 1118
Gafny, R., 1041
Gaitan, A., S31
Galiakparov, N., 1041
Gambley, C. F., 698
Garber, R. H., 341
Garber, R. K., 940
García, I., S32, S59
Garcia, S. M., S16, S32
Gardner, H. W., S14
Garnsey, S. M., S32, S42, S70
Garraway, M. O., S8, S32
Garrett, K. A., 372
Garton, J. R., 1233
Gauhl, F., S22
Gautheron, N., 693
Gavino, P. D., S32
Gay, J. D., S34, S95
Gay, P. A., S2, S32
Geary, B., S32
Geering, A. D. W., 698
Genetics, gene-for-gene coevolution model, mutation and random drift, letter to editor, 488
George, M. L. C., 302, S33
Gepts, P., S37
Gergerich, R. C., S24, S33
Gerhardt, S. A., S54
German, T. L., S19, S82
Gherna, R. L., S55, S56, S60
Ghesquière, A., 1243
Gibbera vaccinicola, twig blight, in New Hampshire, S91
Gibberella zeae, on wheat, dispersal gradients, 414
Gibbs, H., 960
Gibson, G. J., 139
Gibson, P. T., S61
Giesler, L. J., S33
Gilbert, G. S., S33
Gilbert, R. D., S33, S112
Gilbertson, R. L., S37, S44, S53, S84, S94, S95
Gilchrist, D. G., S63
Gildow, F. E., S23, S33
Giles, C. G., S19
Gillespie, T. J., S34
Gilliam, C. H., S38
Gilligan, C. A., 123, 730
Ginseng
—bacterial blight, in Canada, S46
—soilborne diseases, composts for control, S80
Gisi, U., S53
Gitaitis, R. D., S34, S95
Gleason, M. L., S34, S75
Glenn, D. M., S47, S100
Gliocladium catenulatum, on onion leaves, effect on *Botrytis eclada*, 634
Globodera spp.
—*G. pallida*, on potato, pathogenicity and resistance, 862
—*G. rostochiensis*, on potato, root diffusate effect, 839
Gloeodes pomigena, on apple, etiology in North Carolina, 88
Gloeophyllum trabeum, wood degradation, non-enzymatic, S48
Goates, B. J., S34
Godfrey, L. D., 766
Godoy, C. V., 506
Godwin, J. R., S2
Goellner, M., S34

Gold, R. E., S34
Goldbach, R., 1168
Gómez, P. L., S3, S4
Gonapinuwala, S., S14
Gonsalves, C., S34
Gonsalves, D., S30, S34, S47, S58, S65, S96, S109
Gonzalez, C., S21
Gonzalez, G. D., S114
Goodell, B., S48
Goodell, P. B., 341
Goodman, M. M., S15
Goodman, R. M., 720
Goodwin, S. B., 462, 973, 992, S34
Gorbet, D. W., S115
Gordon, D. T., S66, S70
Gordon, T. R., S37
Gore, R. L., S9
Gori, P., S59, S104
Gort, G., S78
Gottwald, T. R., 542, 1078, S34, S45
Goverse, A., 839
Gracia-Garza, J. A., S35
Gradziel, T. M., S10
Grafton, K. F., S93
Graham, J. H., S34, S35
Grape
—crown gall: *Agrobacterium vitis* homologue, strains, S41; biocontrol, agrocin production, 706
—dieback, pathogenicity variation and genetics, 799
—fungicide systemicity, methods for determining, S64
—gray mold, chlorine gas for control, S110
—leaf wetness effect, weather data, S62
—Pierce's disease: occurrence in Mexico, S36; RAPD for evaluation, S3; vector factors, 1197
—powdery mildew: epidemiology and RAPD analysis, 670; resistance, S31; triadimefon resistance, 784; weather and risk assessment in California, S36
—*Rupestris* stem pitting, detection, S65
Grapevine leafroll virus
—genome organization and nucleotide sequence, S109
—recombinant coat protein, antibodies for detection, S58
Grapevine virus A, detection serologically, antiserum use, 1041
Grasses, weeds, multiple-pathogen strategy for control, S16
Grau, C. R., S18, S35
Graves, W. R., S65
Gray, L. E., S18
Gray, S. M., S6, S35, S36
Gremmeniella abietina, epidemiology, PCR-based marker, S27
Grey, W. E., S42
Griffin, D. H., S62
Griffiths, H. M., S35
Grisham, M. P., S44, S74
Grosjean, O. K., S45
Gross, D. C., S86
Grote-Flores, C., S35
Groth, D. E., S19, S88
Groth, J. V., 910, 1233
Grunwald, N. J., S99
Gu, Y. H., S35, S36
Guan, J., S71
Guaragna, M. A., S36, S52
Guayule, Phymatotrichum root rot, resistance, S35
Gubler, W. D., S10, S36, S96
Gudmestad, N. C., S84
Gueldner, R., S73
Guerber, J. C., S36
Guerini, M. N., S36
Guevara, J., S36
Guignardia bidwellii, on grape, degree-day model for sporulation prediction, S70
Gulya, T. J., S36
Gunasinghe, U. B., S36
Gundersen-Rindal, D. E., S56
Guo, B. Z., 529, 1174, S19, S37
Guo, L. Y., S37
Gupta, S., S21
Guthmiller, M. A., S93
Gutierrez, A. P., 341
Gutierrez, W., S37
Gutierrezia saroihrae, rhizosphere bacteria on, identification, S80
Guy, D. C., S69
Guzman, P., S37
Gwinn, K. D., S117
Gwynne, B. J., S37

Haapalainen, M., S37
Hack, E., S28
Hadwiger, L. A., S38
Hagan, A. K., S38
Hahn, M., 1103
Hall, R., S68
Hall, T. J., S117
Hall, W. C., S108
Ham, J. H., S38
Hamacher, J., S11
Hamblin, A. M., 1144, S38
Hamelin, R. C., S27, S38, S46, S78
Hamm, P. B., 656, S32, S49
Hammerschmidt, R., S22, S50
Hammock, B. D., S101
Hammond, J., S38
Hammond, R. W., S38
Han, D. Y., S39, S108
Hancock, J. G., 951
Handelsman, J., 720
Hansen, D. R., 565
Hanson, L. E., S86
Hanson, S. F., S39, S94
Hanus, F. J., S68
Hanus, J. W., 853
Hao, J. J., 325, S39
Haralambous, V., S15
Harbaugh, B. K., S64
Harikrishnan, R., S39
Harlton, C. E., S57
Harman, G. E., S10, S23, S40, S59, S72, S102
Harness, A. M., S97
Harp, T. L., S39
Harper, G., S97
Harrington, T. C., S95
Harrison, S. A., S98
Hart, L., S39
Hart, S. E., S11
Hartin, R. J., 979, S39, S51
Hartman, G. L., S45, S58, S68, S108
Harveson, R. M., S40
Harvey, D. E., S40
Harvey, T. (Hays, Kans.), S31
Harvey, T. L. (Manhattan, Kans.), S88
Haskins, E. K., S80
Hasky, K., S40
Hassan, S., S96
Hatziloukas, E., S40, S92
Hau, B., 506
Hausbeck, M. K., S16
Hawksworth, D. L., 888
Hayashi, T., S95
Hayes, C. K., S40, S59
Haynes, J., S78
Hayward, A. C., S29
Hayward, C., S102
He, S.-Y., S17, S82
He, X.-H., 347, S40
He, X. Z., S23
Healy, F. G., S41
Heath, M. C., S68, S91, S105
Hebard, F. V., 751
Hebbar, K. P., S41
Hebber, K. P., S5, S41, 779
Heiniger, U., 50
Helder, J., 839
Helgeson, J. P., S6, S25
Hellmich, R. L., 1071
Helminthosporium solani, on potato, salt effect, S72
Henderson, C. T., S32
Henderson, D. M., S53
Hendrix, F. F., S20
Henis, Y., 1054
Henriquez, P., S48
Heran, A., S90
Herkert, N., S78
Herlache, T. C., S41
Herrero, S., S41
Herron, C., S41
Hershberger, W., S91
Hess, N. J., S115
Heterobasidion annosum, feller-buncher for control, S111
Heu, S., S41, S71
Heuchelin, S. A., S93
Heungens, K. K., S41
Hickey, K. A., S42
Hickey, K. D., S70
Hiebert, E., S90
Higgins, V. J., S60
Hilf, M. E., S42
Hill, B. L., 1197
Hill, J. H., S27, S28
Hines, T. L., S42
Hirano, S. S., S42
Hirata, G., S16
Hiremath, S. T., S52
Hockenhull, J., 108
Hodges, C. S., 88
Hoffland, E., 138
Hoffman, D. D., S68
Hoffmann, K., S42
Hoffmann-Hergarten, S., S40
Höfte, M., 588
Hogenhout, S. A., S99
Hogue, E. J., S99
Hoitink, H. A. J., S2, S39, S55, S66, S94, S108
Holcomb, G. E., S43
Hollin, W., 599
Hollowell, J. E., S112
Holmes, G. J., S5
Holtman, M. A., S43
Holtz, B. A., S43
Holz, G., S43, S88
Hong, C. X., S43
Hood, M. E., 228, 1214, S43, S44
Hopkins, D. L., S44
Horst, G. L., S33
Horvath, B. J., S44
Hosick, H. L., S38
Hou, Y. M., S44, S84
Howard, R. J., S17, S26, S46
Hoy, C. W., S66
Hoy, J. W., S44
Hoy, M. W., S19
Hrazdina, G., 868, S10
Hsiang, T., S44, S104
Hsu, H. T., S18
Hu, G., 236
Hu, J. S., S88
Hu, S., S99
Hua, S. S., S45
Huang, H., 751
Huang, N., 1243
Huang, Y. (Alaska), 494, S45
Huang, Y. (Wash.), S38
Huang, Y. H. (Ill.), S45
Huang, Z.-Y., 622, S26
Hubbard, J. C., 877

Huber, D. H., S6
Hudelson, B. D., 33
Hudson, R. A., S45
Huettel, R. N., S85
Hughes, G., 542, S45
Hughes, J. d'A., S22, S45
Hulbert, S. H., 236
Hull, R., S97
Hung, Y. C., S34, S95
Hunt, A. G., S105
Hunter, B. B., S117
Hunter, T., S60
Hwang, C. I., S75
Hwang, S. C., S53
Hwang, S. F., S17, S46
Hydrilla verticillata, biocontrol in PR China, S88
Hypersensitivity
—*Erwinia amylovora*, pectate lyases, S52
—tissue necrosis and protein, molecular basis, S34
Hyun, J.-W., S19, S46

Ichimi, K., S72
Ichinose, Y., 846
Idris, A. M., S46
Ingelbrecht, I., S114
Inglis, D. A., S25
Inoue-Nagata, A. K., 1168
Inouye, N., 1014
Ipomoea spp., viruses, electron microscopy, S90
Iriarte, L., S77
Irvine, J. E., S114
Irwin, H., S82, S111, S114
Ishimaru, C. A., 678
Isogai, M., S72
Ito, T., 389
Itoh, Y., 967

Jabaji-Hare, S. H., S4, S106
Jackson, L. E., S92
Jackson, M. A., S11
Jackson, T. A., S46
Jacobi, V., S46
Jacobi, W. R., S46
Jacobsen, B. J., S2, S11, S51
Jacobson, D. J., S63
Jain, R. K., S47, S74
Jakobek, J. L., S34
James, D., S47
James, R. V., S26
Jan, F.-J., S47
Janisiewicz, W. J., S47
Janse, S., S64
Jara, C., S76
Jardine, D. J., S48
Jarosz, A. M., 1184, S23, S85
Jasalavich, C. A., S48
Jawrence, J. E., S112
Jaynes, J. M., S46
Jeffers, D. (Mexico), S48
Jeffers, D. P. (Calif.), 341
Jeffers, S. N., S29, S116
Jelkmann, W., S47
Jellison, J., S20, S48
Jennings, J. C., S73
Jenns, A. E., S22
Jensen, S. (Canada), S51
Jensen, S. G. (Neb.), S31, S88
Ji, P., S48
Jiang, Z.-Y., S58
Johnson, A. W., S12
Johnson, B. J., S1, S2
Johnson, D. A., 656, S32, S49, S66, S72
Johnson, E. M., 88
Johnson, J. L., S55, S56
Johnson, R. S., S49
Johnson, W. C., III, S12
Johnston, A., S112
Johnston, M. R., S25
Jomantiene, R., S49
Jones, A. L., 184, S73, S74, S92
Jones, A. T., 404
Jones, J. B., S14, S49, S92
Jones, J. P., S88
Jordahl, J. G., 154
Jordan, R. L., S36, S52
Judelson, H. S., 1034, S49
Jurkonie, D., S112, S113
Juzwik, J., S16
Jwa, N.-S., S49

Kadir, J. B., S49, S50
Kado, C. I., S80
Kadooka, C. Y., S98
Kagan, I. A., S50
Kainz, M., S82
Kallas, M. A., S46
Kamiunten, H., S72
Kapulnik, Y., S25
Karasev, A. V., S50, S70
Karssen, G., 1061
Katan, J., 712, 1054, S50
Katan, T., 516, 712, 1054, 1067, S40, S50
Kato, M., 973
Kawchuk, L. M., S6
Kazmierczak, P., S50
Keever, G. J., S38
Keinath, A. P., S92, S113, S115
Kelemu, S., S16
Keller, N. P., 642, S14, S78
Keller, S. M., 353, 1134
Kelly, J. D., 1184, S6, S93
Kelly, K. A., S97, S105
Kema, G. H. J, 266
Kemp, G. H. J., 822
Kendig, S. R., S104
Kenerley, C., S51
Kennedy, B. S., S50
Kenworthy, W., 745
Keri, M., 594
Kerr, E., S93
Kessling, A. F., 698
Khan, A. (Ill.), S50
Khan, A. Q. (Canada), S76
Khan, N. I., S80
Kharbanda, P. D., S51
Kiba, A., 846
Kidambi, S., S76
Kiewnick, S., S51
Kikuchi, A., S72
Kim, C. H., S69
Kim, D. (Tex.), S51
Kim, D. H. (Calif.), S39, S51
Kim, D.-S. (Wash.), 551, 559
Kim, H. M., S92
Kim, J. F., S10, S38, S52
Kim, J.-J., S113
Kim, K. D., S52, S71
Kim, K. R., S75
Kim, K. S., 924, S69
Kim, S. J., S52
Kim, Y. C., S52
Kim, Y. S., S52, S71
Kimura, I., S72
Kinard, G. R., S36, S52
King, R. R., S41
Kinkel, L. L., S7, S90, S94
Kirby, G. C., 488
Kirkpatrick, B. C., S9, S85
Kirkpatrick, T. L., S46
Kisaalita, W., S79
Kistler, H. C., 474, 915, S40, S78
Kitajima, E. W., 1168
Klett, P., 1202
Kline, J. D., S53
Kling, J. G., S14
Kloepper, J. W., 136, S27, S79, S81, S103
Klosterman, S., S38
Kluepfel, D. A., S112, S113, S116
Knake, R., S53
Knauf-Beiter, G. M., S53
Knorr, D., S8
Knott, E. A., S67
Knudsen, G. R., 77
Ko, K., S10, S53
Ko, W. H., S35, S36, S53, S56
Koball, D. C., 42
Kobayashi, D. Y., S43
Kodama, M., 967
Kodama, O., S81
Koenig, R. L., 915
Koenraadt, H. M. S., S53
Koganezawa, H., 1014
Köhl, J., 634
Kohli, Y., 1000
Kohmoto, K., 967
Kohn, L. M., 1000
Koike, S. T., S53
Kok-Yokomi, M. L., S102
Kolaczkowski, E. K., S29
Kolchinsky, P., S10
Köller, W., 184, S71, S75, S109
Kolmer, J. A., S54
Kolte, S. J., S90
Kong, P., S43, S54
Koogle, D. L., S12
Korkmaz, S., S32
Kormelink, R., 1168
Korolev, N., 1067
Kosman, E., S62
Kosted, P. J., S54
Kousik, C. S., S54, S83
Krause, C. R., S54
Krause, M. S., S55, S66
Kresovich, S., S5
Krishna Reddy, M., S47
Krishnaveni, D., 760
Kropp, B. R., 565, 1125
Kruger, E. L., 381, 422, 429
Kruger, H., S100
Kubisiak, T. L., 751
Kucharek, T., S87, S116
Kujawski, P. T., S61
Kumar, J., 284
Kunimoto, R. K., S53
Kunz, S., 1272
Kuo, J., 745
Kurle, J. E., S18, S35
Kuruppu, P. U., S55
Kuti, J., S35, S55, S77
Kwon, M., S55
Kwon, S. I., S55
Kyle, M. M., S110

Laccaria bicolor, transcriptional regulator gene, symbiosis related, S52
Lacey, M. J., S55
Lacy, G. H., S55, S56, S60
Lagerstroemia sp., powdery mildew and Cercospora leaf spot, cultivar reaction, S38
Lahiri, I., S47
Lahogue, F., 799
Lai, F.-M., 678
Laich, F., S13
Laigret, F., 670
Laine, M. J., 678, S37
Lakhdar, R., S87
Lamattina, L., S60
Lambert, D. H., S98
Lamikanra, O., S3
Lane, L. C., S56
Langston, D. B., Jr., S56
Larkin, R. P., S56
Larsen, R. C., S56
Latigo, G., S35
Latorre, B. A., S110
Latvala, S., 404

Laureliopsis philippiana, butterfly stain, S114
Laurence, J. A., S107
Lawrence, G. W., S65
Lawrence, J., S113
Lax, A. R., 1174, S19, S37
Le, T. T., S13
Leach, J. E., 302, S3
Leahy, R. M., S65
Leath, S., S89
Leavitt, G., S36
Lecours, N., S27
Lee, F. N., S59
Lee, I.-M., S56, S74
Lee, L., S57
Lee, R. F., S50, S57, S62, S70
Lee, T. Y., S57
Lee, Y. H., S3
Le Gall, O., 397
Legard, D. E., S57
Legendre, B. L., S74
Lehman, J. S., 170, 218
Lehto, K., 404
Leibinger, W., 1103
Leininger, T. D., S57, S113
Leisner, S. M., 792, S7, S9
Leite, R. S. V., S83
Leiter, G., S88
Lemmetty, A., 404
Lennox, C. L., S57
Lentinula edodes, bacterial pathogens, mycelial leachate effect, S73
León, C., 259
Leonard, K. J., S94
Leptosphaeria maculans, on *Brassica juncea*, resistance inheritance, 594
Leslie, J. F., S24
Lester, C., 868, S10
Lester, D. G., S113, S116
Letourmy, P., 1202
Letter to the editor
—epidemic spread, spatiotemporal, mechanisms and stochastic models, 139
—foliar parasite model, temperature and wetness effects, 1088
—gene-for-gene coevolution model, Leonard's, 488
—*Phytophthora infestans*, mating type A2, origin, 992
—rhizobacteria, systemic resistance, a reply, 138
—rhizobacteria and systemic resistance, multiple disease protection, 136
—statistical tests of equivalence, 372
Lettuce
—aster yellows, monitoring leafhopper infectivity, S66
—bacterial leaf spot, strain variation in Ohio, S84
—*Bremia lactucae*, temperature and humidity effect, S104
—diseases and yield, irrigation comparison, 877
—drop, spatial pattern of two species, S39
Lettuce mosaic virus, biological and molecular variability in isolates, 397
Leung, D., S57
Leung, H., 284, S18, S31, S33, S89
Leverentz, B., S113
Levesque, C. A., S57
Levine, H. G., 1125
Levy, L., S87
Lewandowski, D. J., S17
Li, R. H., S58, S104
Li, S., S58
Li, X. (B.C., Canada), 678
Li, X.-Z. (Ont., Canada), S58
Liang, L., S22
Liao, C.-H., S58
Liddell, C. M., S11, S29, S58, S72, S80
Lightfoot, D. A., S61
Lily X potexvirus, antisera reactivity, S106
Limburg, D. D., 766
Lin, J.-J., 745
Linde, C., 822
Lindgren, D., S93
Lindgren, K. A., S42
Lindgren, P. B., S34
Lindow, S. E., S48, S103
Line, R. F., S18
Ling, K.-S., S58, S109
Listeria monocytogenes, growth inhibition by pseudomonads, S58
Liu, H. T., S94
Liu, H.-Y., S58, S104
Liu, J. Q., S54
Liu, S., S113
Liu, Y. (Mo.), S18, S69
Liu, Y.-C. (N.Y.), 1026, S59
Livingston, R. S., S26
Livingston, W. H., S59
Locke, J. C., S11
Lockhart, B. E. L., S22, S69, S97
Locoism, in cattle, *Alternaria* possible cause, S11
Loke, J. B., S3
Lolium perenne, phyllosphere bacteria, wetness effect, S33
Long, D. H., S59, S113
Lopes, D. B., 1084, S59
Lopez, V. C., S3
Lopez-Moya, J. J., S97
Lord, W. G., S91
Loria, R., S13, S41, S72, S86
Lorieux, M., 1243
Lorito, M., S25, S32, S59, S104
Lot, H., 397
Louie, R., S60
Louws, F. (Mich.), S49
Louws, F. J. (N.C.), S15, S60, S81, S111
Lovell, D. J., S60
Lovins, K., 892
Lu, H., S60
Lucas, J. A., S14
Lucas, P., 26
Lucas, W. J., S95
Lucca, F., S60
Lucio-Zavaleta, E., S6
Ludwig, J. W., S1
Lukens, L., 1233
Lukezic, F. L., S23
Lumsden, R. D., S5, S41, *779*
Lundeen, P., S106
Lundquist, J. E., S60
Luo, Y., S61
Luo, Z., S61
Lupinus albus, seedling diseases and soil fungi, tillage and rotation effect, S13
Lupton, J., S39
Luster, D. G., S4, S61
Luszcz, L. A., S116
Luvisi, D., S36
Lynch, D. R., S6
Lyon, G. D., S69
Lyons, M. T., S117

Ma, H., S61
Ma, W. L., S69
Maas, J., S49
Maas, P. W. Th., 534
Macadamia, quick decline
—*Acremonium* cause, S53
—phytoplasma association, S56
MacDonald, W. L., S6, S59, S114
MacFarlane, S. A., 295
MacGuidwin, A. E., 435, 440, S61
MacHardy, W. E., S8
MacLeod, M. M., S62
Macrophomina phaseolina, tillage effect on density, S104
Madden, L. V., 101, 542, 649, 828, S28, S70, S71, S78, S98
Madi, L., 1054
Madkour, M. A., S97
Maffia, L. A., S67, S68
Magarey, R. D., S62
Magill, C., S21
Magnaporthe grisea
—adenylate cyclase from, isolation, S111
—adenylate cyclase gene, role, S19
—appressorium formation, genetic analysis, S116
—appressorium formation and pathogenicity, mutation, S89
—avirulence gene mutation, fitness, S57
—BAC library, *App1* and chromosome 7, S109
—*cpkB* gene, cloning, S112
—G protein α subunit genes, structure, S113
—kinase gene, characterization, S29
—morphogenetic locus, repetitive sequence, S89
—pathogenesis and spore morphology, structural gene, S31
—protein kinase A, characterization, S33
—protein kinase gene: *bar* gene as marker, S12; selectable marker, S111
—on rice: appressorium formation, transformation, S112; DNA parasexual exchange, 284; genetic analysis of avirulence/virulence, 71; regulatory subunit of protein kinase A, S112
—virulence, gene analysis, S52
Magome, H., 389
Main, C. E., S93
Maize dwarf mosaic virus
—other potyviruses compared to, cloning, S66
—on tobacco, sequence analysis, S54
Maize streak virus, genetic determinants, S70
Majerczak, D. R., S7, S21
Malvick, D. K., S62
Manion, P. D., S62
Manisterski, J., S62
Manjunath, K. L., S17, S57, S62
Manshardt, R., S30, S96
Mansour, M. F., S91
Manuscript preparation, author's guide, 7
Maraite, H., 1111
Marek, S. M., S63
Margosan, D. A., S91
Markham, T. D., S63
Martin, F. N., 446, 685
Martin, R. A., S30
Martin, S. B., S114
Martin, T. J., S88
Martínez-Espinoza, A. D., 259
Martinson, C., S106
Martyn, R. D., S7
Maruyama, W., S72
Matheron, M. E., S63
Mathre, D. E., S42, S110
Matsuda, Y., S73
Matsuoka, K., S83
Mattinen, J., S37
Mauk, P. A., 766
Maw, B. W., S34, S95
Maxwell, D. L., 381
Maxwell, D. P., S39, S84, S94
May, G., 1233
Mayes, C. F., S57
Maynard, C. A., S15, S79
Mayo, M. A., S33
Mayoral, A. C., S63
Mayton, H., S63
Mazzola, M., 582, S63
Mbaye, A. A., S63
McAlpin, C. E., S64
McBeath, J. H., 494, S45
McCabe, P. M., S64
McCallum, B., 910
McCasland, C. S., S57
McClean, P. E., S94
McCouch, S. R., 1243
McDermott, J. M., 353, 1134

McDonald, B. A., 353, 448, 1134
McDonald, M. R., S64
McDowell, R. C., S64
McElreath, S. D., S113, S114
McFadden-Smith, W., S64
McFerson, J. R., S58
McGarvey, J. A., 1264
McGavin, W. J., 404
McGee, D. C., 209, S89
McGovern, R. J., S28, S64
McGrath, M. T., S64, S90
McLaren, C. G., S3
McLaughlin, M. R., S65
McLean, K. S., S65
McLemore, J., S114
McMahon, C. L., 737
McMillan, R. T., Jr., S65
McNew, D., S95
McPherson, R. J., S74
McRoberts, N., 542
McSorley, R., 250
McVetty, P. B. E., 594
McVey, D. V., 910
McWilliams, J. D., S65
Mehta, A. D., 1174
Meinhardt, S. W., 154
Melcher, U., S65
Melegari, A. L., S13, S60
Melin, J., S115
Meloidogyne spp., parthenogenetic, interspecific hybridization, 1061
—*M. incognita*: on cotton, Fusarium wilt relation, inoculum density and plant phenology, 341; on pepper, resistance and fumigation comparison, S96
Melon (see also Cantaloupe, Muskmelon)
—decline, fungi association in California, S37
—disease resistance gene mapping, S115
—disease resistance genes, genetic mapping, S101
—gummy stem blight, resistance, S110
Melouk, H. A., S65
Mendgen, K., 1103, 1272
Meng, B., S65
Meng, X. Q., S66
Menge, J. A., S25, S27
Metzler, M. C., 678, S37, S70
Meulia, T., S2, S66
Mew, T. W., S3
Meyer, R. J., S85
Meyer, S. L. F., S66
Meynard, J.-M., 26
Michael, I. F., S91
Michailides, T. J., 161, S25, S37, S43, S66, S101
Michalakis, Y., 807
Mickelson, H., S48
Milgroom, M. G., 1026, S59
Milholland, R. D., S77
Miller, C. D., S52
Miller, J. D., 414
Miller, J. S., 656, S66
Miller, L., S24
Miller, M. E., S7, S77
Miller, S. A., 101, S2, S66, S84
Miller, S. K., S69
Mills, D., 853
Mims, C. W., S66
Mint, rust, leaf wetness and temperature, S17
Mirkov, T. E., 932, S114
Mirocha, C. J., S1, S29
Mitchell, D. J., 250, S20
Mitchell, S., S5
Mitchell, T. K., S67
Miyakawa, T., 389
Miyake, C., 846
Miyao, G., S72
Mizubuti, E. S., 973, S63, S67
Mkandawire, A. B. C., S37
Model
—foliar parasite, temperature and duration of wetness, 1088
—plant pathogen splash dispersal, validation, S78
—TOM-CAST disease-warning, in Ontario, S34
Moffatt, A., S67
Mohamed, I. S., 1202
Mohamed, Z. K., S97
Mohan, S. K., S67
Moline, H. E., S67
Momol, M. T., S67
Monilinia spp.
—*M. fructicola*: apothecia, ascospore discharge, S43; apothecia decreased by cultural practices, California, S43; cutinase purification, S101; *M. laxa* comparison, molecular variation, S92; on nectarine fruit, sporulation potential, S43; on sour cherry, incubation-period humidity, 42
—*M. vaccinii-corymbosi*, on blueberry, apothecium production, 218
Monosporascus cannonballus
—biological characterization, S3
—cDNA clones, characterization, S7
—on muskmelon, root effect, S77
Monteiro, A. J. A., S67
Moore, L., S68
Moorman, G. W., S95
Morandi, M. A., S68
Morehart, A. L., S87
Morelock, T. E., S42, S102
Morgan, D. P., S66
Morra, M. J., 77
Mortensen, K., S11
Mosko, C. E., S32
Moss, W., S68
Mould, M. J. R., S68
Moura, A. B., S83
Moyer, J. W., S1, S42, S80
Mpofu, S. I., S68
Muccifora, S., S59, S104
Mucor piriformis
—polygalacturonase activity, detection, 161
—in soil, apple orchards, S37
Mueller, D. S., S68
Mukherjee, A., S18, S69
Mulrooney, R. P., S29
Mundt, C. C., 66
Munkvold, G. P., 209, 1071, S71
Murphy, J. F., 892, S36, S69, S89
Musa spp., badnaviruses, genomic sequences, S69
Muskmelon (see also Cantaloupe, Melon)
—Fusarium fruit rot, systemic resistance induced by rhizobacteria, S27
Musselman, C. A., S55
Muthukrishnan, S., 1258
Mycorrhizae, arbuscular, host border cell production, in Amaranthaceae, 1240
Mycosphaerella spp.
—*M. fijiensis*, on banana, propiconazole sensitivity, 96, S107
—*M. graminicola*: on wheat, pathosystem, virulence and resistance variation, 266; on winter wheat, crop growth and canopy structure, S60
—*M. pinodes*, on pea, cell wall extracts, superoxide generation, 846
Mycotoxin
—aflatoxin: *Aspergillus flavus* on kernels, biosynthesis, 164; biosynthesis, fusion protein, S30; corn seed protein inhibition, 622; resistance inheritance in corn, 1144
—aflatoxin B1, synthesis and carotenoid effect, 814
—cercosporin: biodegradation by bacteria, S67; isolation and characterization of genes, S22
—*Pyrenophora tritici-repentis*, on wheat, 154
—sterigmatocystin and aflatoxin, 643
Myers, J. R., S94
Myers, L. R., S69
Myers, O., Jr., S61
Myriophyllum spicatum, biocontrol in PR China, S88
Nagata, T., 1168
Nakashima, K., S95
Nakhla, M. K., S84, S94
Nam, K. W., S69
Nashaat, N. I., S90
Nault, L. R., S66
Navarro, R., S89
Ndowora, T. C., S69
Nectria spp.
—*N. galligena*, pathogenic variability, S78
—*N. radicicola*, on ginseng, characterization, S3
Neema, C., 807
Neff, G., S8
Nelson, A. J., 1220, S61
Nelson, C. D., 751
Nelson, E. B., S72, S100
Nelson, R. J., 284, 302, S33
Nelson, R. S., S24
Nelson, S. C., S107
Nematicide, registration update, minor-use, S96
Neotyphodium coenophialum, peptide synthetase genes, analysis, S4
Nesbitt, C., 642
Nesme, X., S78
Nesmith, W. C., S69, S114
Nester, S. E., S10, S91
New, L. L., S77
Newall, W. C., Jr., S116
Newman, M. A., S112
Newsome, M., S68
Newton, A. (Barbados), 960
Newton, A. C. (UK), S69
Ngwira, P., S70
Niblett, C. L., S62, S70
Nickell, C. D., S68
Nicotiana spp., tobacco blue mold epidemic, airborne inoculum, S93
—*N. glauca*, bacteria, biocontrol, model system, S90
Nielsen, M. T., S50, S105
Niemira, B. A., 1240
Nikolaeva, O. V., S50, S70
Nishiguchi, M., 1014
Nishiyama, K., 1192
Nissinen, R. M., 678, S37, S70
Njiti, V. N., S61
Nolasco, G., S70
Nordeen, R. O., 494
Norelli, J. L., S10, S53, S67
Norman, D. J., S70
Northover, J., S64
Northover, P. R., S70
Norton, R. A., 814
Notteghem, J. L., 1243
Nour Eldin, H. A., S97
Noviello, C., S104
Nozu, Y., 1014
Ntahimpera, N., 649, S70, S71
Nuclo, R. L., 500
Nunez, J., S85
Nutter, F. W., Jr., 946, S71
Nyanapah, J. O., S15
Nyczepir, A., S113
Nyvall, R., S67

Oak
—decline, midsouth USA, S57
—wilt: fungal mat and nitidulid association, S16; susceptibility, S114
Oeser, B., S71
O'Garro, L. W., 960
Oger, P., S77
Oguma, Y., S72
Oh, B. J., S52, S71
Oh, C., S71
Okanga, F. I., S76
O'Keefe, D., S93
Oksman, P., S37
Olah, A. F., S71

Olaya, G., S71
Oldroyd, G., S72
Olien, W. C., S116
Oliva, C. R., S97
Oliveira, J. R., S68
Oliver, E. C., S72
Olivier, E., S72
Olson, S. M., 250
Olszewski, N. E., S69
Omer, M., S72
Omura, T., S72
Ondik, K. L., S72, S102
O'Neill, N. R., 745, S41, S73
Onion
—bulb rot, storage, S67
—pink root and bulb decay, harvest systems, S95
—postharvest bacterial decay, storage factors, S34
—smut, fungicides for, S64
Ophiostoma novo-ulmi
—on elm, temperature and light effect on defoliation, 576
—virulence gene, identification, S28
Oplinger, E. S., S35
Ordon, V., S15
Ordoñez, M. E., 375, S73
Orrico, J., S32
Orta, H., S21
Ospina-Giraldo, M. D., S18, S73
Ostrofsky, A., S48
Ostry, M. E., S101
Otani, H., 967
Otten, W., 730
Ouchi, S., S73
Oudemans, P. V., 218, S73, S94
Overmars, H. A., 839
Owens, L. D., 494
Owens, R. A., S102
Ownley, B. H., 1118, S112
Oyarzun, P. J., 534, S73

Pacumbaba, R. P., S73
Palmer, E. L., S73, S74
Pan, Y.-B., S74
Panaccione, D. G., S4
Pancake, C., S68
Pang, S.-Z., S47
Panicum maximum, bioherbicide control, field test, S17
Papaver somniferum, mycoherbicide for, formulation, S41
Papaya, bunchy top, rickettsia cause, S23
Papaya ringspot virus
—transgene dosage, resistance, S96
—transgenic papaya for control, in Hawaii, S30
—transgenic papaya resistance, S107
—untranslatable coat protein gene, resistance, S34
Pappu, H. R., S47, S74, S75
Pappu, S. S., S47, S74, S75
Paranidharan, V., 1258
Park, E. W., S75
Park, K. S., S103
Park, S. K., S23
Parke, J. L., S41
Parker, D. M., S75
Parker, S. K., S34, S75
Parker, S. R., S60
Parra, G., 242, S82
Pasberg-Gauhl, C., S22
Pascholati, S. F., S75
Pasteuria penetrans, sporogenesis, ultrastructure, 273
Pastor-Corrales, M. A., S76
Pataky, J. K., S27, S76, S114
Pathogen
—detection, electronic-nose device, S116
—diversity sources and patterns, 664
Pathogenesis, peroxidase and oxygen metabolism, S6
Patrick, J., S61
Pau, R., S70
Paul, R. N., S2
Paulitz, T. C., 414, S15, S18, S23, S30
Payne, G. A., 622, S12, S26, S30
Payton, M. E., S65
Pea
—*Aphanomyces* root rot, control with *Brassica* seed meal, 77
—cell wall extracts, signal molecules, 846
—oomycete pathogens, *Burkholderia cepacia* for control, S41
Pea enation mosaic virus, genomic localization of protein, S104
Peach
—anthracnose, isolate characterization, in California, 979
—brown rot, factors, S10
—*Monilinia fructicola* on, propiconazole effect, S116
—Phomopsis shoot blight: epidemic, S99; pruning and debris management effect, S99
Peanut
—*Aspergillus* spp. on, lipoxygenase gene characterization, S14
—cotton rotation, tillage and flutolanil effect, S12
—Cylindrocladium black rot and Sclerotinia blight, winter cover crops, S89
—late leaf spot, resistance components, S116
—multiple disease resistance, S115
—pod rotting, incidence in North Carolina, S112
—Sclerotinia blight, fungicides, S56
—*Sclerotinia minor* on, genotype reaction, S65
Peanut stripe virus
—distribution and serology, in India, S47
—PCR, strain-specific primers, S75
Pear
—black necrotic leaf spot, graft transmission and cytopathology, S69
—*Botrytis cinerea*, monoclonal antibody to study, S57
—decline trees, psylla effect, S9
—postharvest disease, yeast for biocontrol, S93
Pearl millet, rust, cultivar mixture for control, S96
Pearson, S., 576
Pecan
—bunch phytoplasma, detection by PCR, S74
—scab: fungicide schedules, threshold model, S26; leaf wetness and leaf age effect, S98
Pedersen, W. L., S11, S53, S68, S108
Pedras, M. S. C., S76
Pedras, S. C., S76
Peever, T. L., 1026
Pelargonium line pattern virus, genome organization, S36
Pelargonium ringspot virus, elderberry latent virus comparison, S52
Penaloza, A., S76
Penicillium spp. (see also *Capsicum* spp.)
—*P. digitatum*, on grapefruit peel tissue, $CaCl_2$, effect, biocontrol, 310
—*P. expansum*, on fruits and vegetables, postharvest activity, 772
Pennypacker, B. W., S76
Pepper, anthracnose, compatible and incompatible interactions, S52
Pepper mottle virus
—cucumber mosaic virus effect, in *Capsicum annuum*, S36
—phloem-dependent movement, pathway, 892
Pepper veinal mottle virus, diagnostic host and resistance source, S63
Peqalver, R., S77
Percich, J. A., S62, S67
Pereyra, V. R., S3, S77, S81
Perez, A., 203
Péros, J.-P., 799
Perrott, R., S16
Persimmon, black spot, atmosphere modified for control, 203
Pesic-Van Esbroeck, Z., S77
Peterek, S., S77
Peters, C. M., S85
Peters, D., 1168
Peterson, G. L., S8, S10, S34
Pettway, R. E., 353
Pfender, W. F., 614
Phaeoisariopsis griseola, on bean
—disease management systems, 506
—genetic diversity in Latin American and African isolates, S76
—group specific detection, S37
Phaeosphaeria nodorum
—isolate mating, segregation and recombination, S5
—on wheat: gene flow and sexual reproduction, 353; genetic similarity in Switzerland, 1134
Phaseolus sp. (see also Bean): soilborne diseases, organic compost effect, in Florida, S78
—*P. vulgaris*: angular leaf spot, disease management systems, 506; anthracnose, pathogenic variation and genetic diversity, 807; anthracnose, virulence and molecular diversity of isolates in North, South, and Central America, 1184; bacterial brown spot, spatial patterns, detection, 33; *Botrytis cinerea*, resistance induced by *Pseudomonas aeruginosa*, 588; resistance to bean dwarf mosaic virus, phloem translocation of viral DNA, S95; rust, photosynthesis effect, 1084; rust, resistance genes and linkage, S93
Phialophora spp., take-all suppressive soil source, Montana, S110
Philion, V., S15
Phillips, D. V., S77, S115
Phillips, T. D., 642
Phipps, P. M., S56
Phomopsis cucurbitae, on cantaloupe, postharvest decay and isozymes, 1020
Phytoalexin
—apple scab, 868
—soybean, resistance elicitors, S69
Phytophthora spp.: on cassava, genetic variation in strains, S3; field soil distribution, immunoassay determination, 101; in ornamental crop nursery, detection, S29; population genetics, symposium, 462; soil solarization and cabbage amendment for control in Florida, S20
—*P. capsici*: on bell pepper, no-till wheat cover crop for, 242; in infected plants, detection by PCR, S82; on pepper, pathotypes in Taiwan, S19
—*P. cinnamomi*: biocontrol with mulch, S25; population structure, South Africa, 822
—*P. erythroseptica*, on potato, factors, S49
—*P. infestans*: A2 mating type, origin outside Mexico, S34; clonal lineages, fitness components and temperature effect, S67; fungicide sensitivity and pathogenic fitness, clonal lineages, 973; host specialization, in Ecuador, S73; mating behavior, fungicide effect, S98; mating type A2, origin, 992; metalaxyl insensitivity, genetic mapping, S49; metalaxyl insensitivity loci, genetic analysis, 1034; metalaxyl resistance, genetic analysis, S57; metalaxyl resistant genotypes, S87; mitochondrial genomes, diversity, S32; oospore production and fungicide applications, S63; *Phytophthora* spp. distinguished from, polymorphism analysis, S87; population genetics, in Ecuador, 375; on potato, population in Oregon and Washington, 656; on potato and tomato leaves, oospore production, 191; sporangia, viability in soil, fungicide effect, S26

—*P. nicotianae*, survival, temperature and amendment effect, S20
—*P. parasitica*: fungicide resistant strains, protoplast fusion, S36; nucleus transferred in protoplasts, S35; on tobacco, glycoprotein, elicitor activity, 899; zoospore biology and infectivity, calcium effect, 522
—*P. sojae*: DNA polymorphism, virulence association, S66; population density, soil texture and tillage effect, S104; on soybean, races in Arkansas, S46
Phytoplasma, on poinsettia, factors and genomic diversity, S1
Piccinin, E., S75
Piccinni, G., S77
Pichia guilliermondii, antagonist to *Penicillium digitatum*, on grapefruit, 310
Pielaat, A., S78
Pierson, L. S., III, S40, S103
Pilgeram, A. L., S97
Pimentel, G., S78
Pine
—loblolly, root mortality pattern, S101
—ponderosa: Armillaria root disease, effect, S60; forest disease and spatial heterogeneity, S60
Pineapple, pink disease, *Pantoea citrea* gene involvement, S80
Pineapple virus, mealybug transmission, S88
Pinero, D., S78
Pinon, J., S114
Pintor-Toro, J. A., S32
Pinus resinosa
—shoot blight and canker: morphotype inhibition by phenolics and monoterpenes, 606; water stress effect, 422
—Sphaeropsis shoot blight and canker, water stress effect in Wisconsin, 422
Pionnat, S., S78
Pirone, T. P., S97, S101
Pistachio, fungus kernel decay, harvest delay, S25
Pitblado, R. E., S34
Pittam, S. K., S68
Pitz, K. Y., S30
Pixley, K., S48
Plante, D., S78
Plante, F., S78
Platis, C. E., S64
Plectosporium tabacinum, on *Hydrilla verticillata*, in Florida, S92
Ploetz, R. C., 915, S78
Plourde, A., S46
Plum pox virus
—coat protein gene pyramiding, S87
—differentiation and diversity, S38
Plyler, T., S78
Pnini-Cohen, S., S78
Podila, G. K., S52
Pogge, T. D., S13
Poinsettia
—phytoplasmas of, factors, S1
—powdery mildew, early development, S16
Polston, J. E., S64, S90, S94
Pomp, H., 839
Poncet, C., S78
Pond, E. C., S25, S27
Poplar
—hybrid, stable transformation, S15
—Septoria leaf spot and canker, water stress effect, 381
Poplawsky, A. R., S79
Population genetics, fungi, tools and techniques, symposium, 448
Populus spp., *Septoria musiva* and field resistance in hybrids, S93
Porchas, M., S63
Porter, E., S114
Postharvest pathology
—*Alternaria alternata* on persimmon fruit, atmosphere modified for control, 203
—apple surface microorganisms, 1103
—*Botrytis*, *Penicillium*, and *Rhizopus* spp., 2-deoxy-D-glucose effect, 772
—*Penicillium* on grapefruit, $CaCl_2$ effect, 310
Postman, J., S49
Potato
—bacterial ring rot, detection, DNA sequences, 853
—bacterial soft rot, surfactant effect, S6
—common scab, green manure and microbial antagonist, in Tasmania, S55
—cyst nematode, pathogenicity and resistance, 862
—cyst nematode and leaf blight, resistance induced by rhizobacteria, S40
—early dying disease: nematode and fungus relation, gas exchange relation, 440; synergism of nematode and Fusarium wilt, gas exchange effect, 435
—Fusarium dry rot, biocontrol, 177
—*Fusarium sambucinum* on, biocontrol, S86
—glucanase induced in tuber, by fungi, S97
—late blight: BLITECAST in Morocco, S87; chemigation and spray booms, S32; forecasting model in Washington and Oregon, S49; oospore production, 191; population genetic structure, in Ecuador, 375; population of pathogen in Oregon and Washington, 656; resistance in populations, S25
—late blight and pink rot, PCR detection in field, S98
—*Phytophthora infestans* on, genotype aggressiveness, S66
—pink rot, tuber susceptibility, S84
—potato virus Y, screening and analysis, S84
—Rhizoctonia black scurf and Fusarium dry rot, control, S51
—root diffusate, effect on cyst nematode, 839
—scab: *Streptomyces* for biocontrol, S90; suppressive and conducive soils, interspecies communication, S7; thaxtomin A for screening, S2
—sesquiterpene synthase genomic clone, S110
—soft rot, cecropin B gene, resistance, S45
—stem rot, resistance screening, S6
—Verticillium wilt: control by flaming and fumigating, S68; resistance, S22; soil moisture effect, S4
Potato leafroll virus
—nucleotide sequence comparison, Brazil, S24
—particles transmitted by aphids, S33
—protease domain of the ORF11 product, S100
Powell, A. J., S100
Powell, C. A., S79
Powell, J. F., S79
Powell, W. A., S15, S79
Powelson, M. L., S4
Power, R. J., S64
Pozo, A., S73
Prado, G., S21
Pratt, R. G., S79
Pratylenchus penetrans, on potato
—alternative cropping system effect, S9
—interaction with *Verticillium dahliae*, 440
—synergism with *Verticillium dahliae*, gas exchange relation, 435
Preisig, O., S79
Press, C. M., S79, S103
Preston, J. F., 273
Prioletta, S. M., S77, S81
Prusky, D., 203
Pscheidt, J. W., S86
Pseudomonas spp., superoxide dismutase genes, plant-microbe interaction, S52
—*P. aeruginosa*, on bean roots, induced resistance to *Botrytis cinerea*, 588
—*P. aureofaciens*: *Criconemella xenoplax* affected by, S116; promoter identification, S113; rhizosphere competence and wheat take-all, S40
—*P. avenae*, PCR primers for detection, S92
—*P. fluorescens*: antagonist to *Sclerotinia homoeocarpa* and *Drechslera poae*, biocontrol, 614; on tomato, biocontrol agent with zinc, 1250; in wheat rhizosphere, population dynamics, 559
—*P. putida*, catalase and bacterioferritin from, genes encoding, S52
—*P. syringae*: alginate biosynthetic gene cluster, characterization, S76; on barley, kernel localization, S11; on bean, marker cassette insertion, use in fields, S42; on bean seed, detection by immunofluorescence, S53; on citrus, syringomycin for control, S13; ethylene-producing, detection by PCR amplification of genes, 1192; fitness, role of *pil* genes, S82; on host and nonhosts, interaction and temperature relation, S13; on houndstongue, synergism with herbicide, S110; on ornamental woody plants, copper-resistant populations, S86; pectate lyase, homology, S17; on snap bean, immigration effect, S42; on snap bean, spatial patterns, 33; stone fruits, genetic diversity, S85; syringomycin and syringopeptin as virulence determinants, S86; on tomato, host factors, coronatine gene expression, S58; on transgenic tobacco, cecropin gene cassette, 494
Puccinia spp.
—*P. carduorum*, on *Cirsium* spp., biocontrol, S12
—*P. chrondrillina*, on *Isatis tinctoria*, phylogeny with other rust species from crucifers, 565
—*P. coronata*, on wild oats, biocontrol agent, S25
—*P. graminis*, on wheat, virulence and isozyme phenotypes, 910
—*P. grindeliae*, gene flow in population, S58
—*P. jaceae*, teliospore germination, procedure, S12
—*P. polysora*, on corn, resistance gene, 236
—*P. recondita*: on wheat, latent period, 170; on wheat, virulence in Nebraska, S102; virulence diversity in population in Israel, S62
—*P. sorghi*, on corn, resistance gene, 236
Pühringer, H., S38
Pujol, C., S80
Pullman, G. S., 341
Purcell, A. H., 1197
Purvis, A. C., S34
Pusey, P. L., 1096, S80
Pyndji, M., S80
Pyrenophora spp.
—*P. teres*, isolate mating and recombination, evaluation, S14
—*P. tritici-repentis*: on wheat, infection period, neural network, 83; on wheat, necrosis-inducing toxin, 154
Pyricularia grisea, on rice
—genetic analysis, fingerprinting, S33
—sulfate nonutilizing mutants, genetic markers, S39
Pythium spp., on wheat, biocontrol and tillage relation, 551
—*P. aphanidermatum*, zoospore infectivity, calcium in nutrients, S101
—*P. oligandrum*: mycoparasite for *Fusarium oxysporum*, on tomato, 108; rhizosphere competence, 951
—*P. sylvaticum*, drug-tolerant strains, sublethal enrichment, 685
—*P. ultimum*: population genetics, symposium, 454; root rot suppression from, composted dairy manure, S94; seed rot, suppression by *Enterobacter cloacae*, S100

Qiu, D., S80
Qiu, W. P., S42, S80
Quercus spp., foliar endophytic fungi, technique for isolation, S20
Quesnel, F., S80

Quimby, P. C., Jr., S11, S110
Quinones, L. M., S80
Quiroz, F. J., S81

Raabe, R. D., S7
Rachdawong, S., S81
Rademaker, J. L. W., S49, S60, S81
Radian, S., 1041
Radish
—bacterial leaf spot, control with planting mixes, S66
—bacterial speck, biocontrol with *Pantoea agglomerans*, S39
—damping-off, peat and biocontrol, S55
Ragland, M., S32
Raid, R. N., S114
Raikes, C., S81, S114
Rakwal, R., S81
Ralstonia solanacearum
—diversity and molecular diagnostics, S29
—on pothos, new host, S70
—on tomato, polysaccharide and endoglucanase role in root invasion, 1264
Ramanathan, A., 1258
Ramundo, B. A., S24
Randall, C., S1
Randhawa, P., S105
Rao, A. L. N., 347
Rasmussen, S. L., S3
Raspberry, Phytophthora root rot, control, S102
Rathayibacter sp., phylogeny and classification, rDNA sequence, S56
Raupach, G. S., S81
Ravelonandro, M., S87
Rawn, C. D., S82
Raymer, P. L., S77
Reavy, B., S33
Red clover necrotic mosaic virus, stem-loop structure, infectivity, S105
Red clover vein mosaic virus, nucleotide sequencing, S56
Reddy, A. P. K., 760
Redlin, S. C., S115
Reeleder, R. D., S80
Reeves, D. W., S13
Reglinski, T., S69
Reich, R. M., S46
Reid, C. L., 706
Reilley, A. A., 678
Reshit, Z., 191
Resistance
—barley to *Cochliobolus sativus*, 1140
—*Brassica juncea* to black leg, 594
—corn to rust, 236
—genome scanning for analogs, electrophoresis, S18
—potato to cyst nematode, durability, 862
—rice to bacterial blight, resistance gene deployment, 66
—sugarcane to leaf scald, 1202
—systemic acquired, compost-induced in plants, S108
—wheat to leaf rust, partial resistance, 170
—wheat to Septoria tritici leaf blotch, 60, 266
Revelo, J., 375
Revers, F., 397
Reviewers, acknowledgment, 4
Rey, P., 108
Reynolds, K. L., S20, S98, S99
Rhizobacteria
—systemic resistance, multiple disease protection, letter to editor, 136
—systemic resistance, reply, letter to editor, 138
Rhizoctonia spp.: on apple, replant disease, identification, 582; biocontrol for Rhizoctonia crown rot of impatiens, pesta formulation, S8; on tall fescue, in South Carolina, S114
—*R. leguminicola*, classification, S72
—*R. solani*: in bean, defense mechanisms, S106; on bean, lipolytic esterase protection, S75; on bean, protection by *Rhizoctonia* binucleate isolates, S63; biocontrol agents, selection methods, S13; on brassicas, resistance, S113; on cole crops, fertilizer and water effect, S115; on petunia, pansy, and basil, biocontrol, S42; population biology, symposium, 480; on rice, host-specific toxin, 1258; on snap beans, biocontrol agents, S15; on wheat, biocontrol and tillage relation, 551
Rhizomonas suberifaciens, on lettuce, irrigation comparison, 877
Rhizopus spp.
—*R. oryzae*, on sunflower, yield and disease management, 1226
—*R. stolonifer*, on fruits and vegetables, postharvest activity, 772
Rhizosphere competence, *Pythium oligandrum*, 951
Ribes nigrum, reversion disease, nepoviruses, 404
Riccioni, L., S108
Rice
—bacterial blight: gene deployment strategies, 66; PCR-based DNA fingerprinting, 302
—bacterial leaf blight, genetic diversity in India, 760
—blast: adult plant resistance, S75; avirulence/virulence genetic analysis, 71; DNA parasexual exchange, exclusive clonality, 284; epidemics, use of infested seed, S59; genotype and environment interaction, S3; resistance in Colombia, S21
—foliar disease, silicon and fungicide for control, S87
—gall dwarf phytoreoviruses, insect vector cell involvement, S72
—induced proteins, jasmonic acid treatment, S81
—neck blast, azoxystrobin for, S113
—seedling diseases, biocontrol and carbon source, S19
—sheath blight: biocontrol with phylloplane fungi, S88; host-specific toxin, 1258
—yellow dwarf phytoplasma, nucleotide sequence, S95
Rice dwarf phytoreovirus, transmission defects, capsid P2 protein loss, S72
Rice ragged stunt virus, outer shell and A-spikes, S18
Rice stripe necrosis virus, transmission by *Polymyxa graminis* in Colombia, S21
Rice yellow mottle virus, resistance maps, blast resistance genes, 1243
Richard, J. L., S1
Richards, K., S99
Richardson, Y., S82
Richmond, K. E., S82
Rickauer, M., 899
Riggs, J. L., S80
Rigling, D., 50
Riley, M. B., S82, S112, S116
Riley, R. T., S2
Rimelspach, J. E., S63
Rimmer, S. R., 594
Risius, M. L., S76
Ristaino, J. B., 242, S13, S82, S98
Ritchie, D. F., S54, S83
Rizzo, D. M., S7, S102
Robb, J., S22
Robbins, R. T., S83
Roberts, D. P., S82
Roberts, P. A., 341
Robideaux, R. V., S6
Rodríguez, E. J., S110
Rodriguez, F., 614
Rodriguez-Alvarado, G., S82
Rodriguez-Kabana, R., S9
Roelfs, A. P., 910
Rogers, G. A., S114
Roine, E., S82
Rollins, P. A., S115
Romaine, C. P., S18, S73, S95
Romantschuk, M., S82
Romeiro, R. S., S83
Romero, A. M., S83
Romero, R. A., 96
Roossinck, M. J., S82
Rose
—black spot, fungicide rate role, S31
—crown gall of, plasmid and rootstock clone correlation, S78
—gray mold: biocontrol by *Gliocladium roseum*, S68; crop debris effect, S67
—rosette, risk assessment, S28
Rose, M. S., S99
Rosell, R. C., S83
Ross, G. S., S20
Rossbach, U., S81
Rossman, A. Y., 888
Rothrock, C. S., 197
Rott, P., 316, 1202
Rouse, D. I., 435, 440, S83
Rowe, D. E., S79
Rowe, R. C., S72
Royle, D. J., S60
Royse, D. J., S18, S73
Rubinson, E., 1041
Ruby Ponmalar, T., 1258
Rufty, R. C., S41
Ruiz-Herrera, J., 259
Rumohra adiantiformis, blight, S98
Rupe, J. C., S46, S83, S101
Rush, C. M., S40, S77, S83
Rush, M. C., S88
Russell, B. W., 853
Russin, J. S., 529, 1174, S19, S37, S55, S98
Russo, J. M., S62
Russo, P., S16, S24, S84
Rutledge, S. S., S102
Ryba-White, M., S3

Sabbe, W. E., S83
Saeed, I. A. M., 435, 440
Safir, G. R., 1240
Sahin, F., S2, S66, S84
Saile, E., 1264, S84
Salas, B., S84
Salati, R., S84
Saleh, A., S97
Samac, D. A., S84
Samiyappan, R., 1258
Sammons, B., S69
Sams, C. E., S17, S20, S47, S106
Sanchez, N. J., S3
Sanders, R., S44
Sandrin, T. R., S115
Sands, D. C., S2, S11, S25, S97
Sanogo, S., 628, S85
Santalla, I., S3
Santos, P., S85
Sarr, B., 642
Sasaya, T., 1014
Sato, M., 1192
Saunders, J. A., 745
Savka, M., S108
Sawyer, A. J., S85
Sayler, R. J., S85
Scala, F., S25, S59, S104
Schaad, N. W., S8, S40, S85, S92
Schaff, D. A., S29
Schardl, C. L., 599
Schaupp, J. K., S23, S85
Scheck, H. J., S86
Schell, M. A., 1264
Scherm, H., S85, S86
Schilder, A. M. C., S86
Schisler, D. A., 177, S86
Schlagnhaufer, B., S18, S95

Schlarbaum, S., S93
Schlub, R. L., S86
Schmidt, M. E., S61
Schmitthenner, A. F., 101, S71
Schneider, M., S49
Schneider, R. W., S19, S90
Schober, B. M., S86
Scholthof, H. B., S19
Scholthof, K.-B. G., S7, S83
Scholz-Schroeder, B. K., S86
Schots, A., 839
Schottel, J. L., S7, S90
Schouten, H. J., 862
Schroeder, K. L., S87
Schubert, T., S34
Schueneman, T. J., S114
Schulbach, K. F., 877
Schultheis, J. R., S77
Schultz, M. H., S81
Schuster, R.-P., S87
Schuster, S., S78
Sclerotinia spp.
—*S. homoeocarpa*: antagonism by *Pseudomonas fluorescens*, biocontrol, 614; demethylation-inhibiting fungicides for, in Ontario, S44; ds-RNA, hypovirulence, 147; mycelial compatibility and systematics, S79
—*S. minor*, on lettuce, irrigation comparison, 877
—*S. sclerotiorum*: apothecium production, temperature and moisture, S95; on cabbage, clonality in North Carolina, 1000; calcium effect, S81; on soybean, stability analysis and resistance, S76
Sclerotium rolfsii
—biocontrol with *Talaromyces flavus*, 1054
—lysis by citrinin, S82
Scorza, R., S87
Scott, D. L., S87
Scott, J. W., S40
Scott, R. P., 284
Seaman, W. L., 414, S30
Secker, I., 250
Secor, G., S84
Sedegui, M., S87
Seebold, K., S87
Seed disinfestation, hypochlorous acid, technique, S19
Seem, R. C., 42, 1046, S31, S62
Seifers, D. L., S31, S88
Séjalon-Delmas, N., 899
Sela, I., 1041
Selitrennikoff, C. P., 1174
Semb, L., 1046
Semer, C. R., IV, 685
Sepedonium chrysopermum, on mushroom, cell wall degrading enzymes, S59
Septoria spp., genetic variation in species, S101
—*S. musiva*, on poplar, water stress effect, 381
—*S. tritici*: *Stagonospora* spp., similarity, genetic, S5; on wheat, tolerance and physiology, 60
Serdani, M., S88
Serratia marcescens, autoinducer production, S103
Sesamum indicum, potyvirus of, molecular characterization, S74
Setaria glauca, High Plains virus on corn and wheat indicator plant, S88
Sether, D. M., S88
Shah, D. A., S88
Shahjahan, A. K. M., S88
Shaner, G., 170
Shattock, R. C., 1034, S49
Shearer, J. F., S88
Shelby, R. A., S88
Shepherd, L. M., S89
Sherrill, J. F., S36
Sherwood, J. E., S4, S54, S103, S110
Sherwood, J. L., S6, S74, S75
Shew, B. B., S89, S112
Shew, H. D., 228, 1214, S37, S43
Shi, A. N., S89
Shi, Y., S89
Shi, Z., S31, S57, S89
Shier, W. T., S1, S2
Shimizu, K., S90
Shimizu, T., 1014
Shin, D. H., S71
Shinners, T. C., S90
Shiomi, T., S95
Shiraishi, T., 846
Shishkoff, N., S64, S90
Shlevin, E., 712, S50
Shoemaker, R. C., S66
Shokes, F. M., S115, S116
Sholberg, P. L., S90
Shortle, W., S20
Showers, W. B., 1071
Showker, J., S2
Shtienberg, D., 332, 1226
Sicard, D., 807
Siegel, E. R., S90
Siegel, M. R., 599
Sikora, E., 892, S69
Sikora, R. A., S40, S51, S87
Silk, J., 664
Sim, J., S90
Simms, A. L., S103
Sinaloa tomato leaf curl virus, molecular characterization in Western Hemisphere, S46
Sinapsis alba, chemical defenses, elicitation, S76
Sinclair, J. B., S107
Sinclair, W. A., S35
Singer, E., 1111
Singh, M., S16
Singh, N. P., S2
Singh, U. S., S90
Sinisterra, X. H., S90
Skaf, J. S., S104
Škalamera, D., S91
Skalbeck, T. C., S16
Skaria, M., S41, S91
Slack, S. A., S16, S24, S84
Slightom, J., S96
Slininger, P. J., 177, S86
Sly, L. I., S29, S102
Smant, G., 839
Smart, C. D., S63
Smilanick, J. L., S13, S91
Smit, W. A., S91
Smith, B. J., S115
Smith, C. A., S91
Smith, D. (N.Y.), S35
Smith, D. R. (Wis.), S91
Smith, K. C., S76
Smith, K. P., 33, 720
Smith, M. W., S26
Smith, O. D., S65
Smith, R. (Calif.), S36
Smith, R. J. (Canada), S92
Smith, S. N., 341
Smith, V. L., S92
Smither-Kopperl, M. L., S92
Smittle, D. A., S95
Smolinska, U., 77
Snyder, C. L., S92
Sohn, A., S54
Soil
—fungal antigens, quantification, 730
—microbial communities, gas chromatographic analysis, fatty acid methyl esters, S112
Soil amendments
—kudzu, mucuna, pine bark, and benzaldehyde, for *Rhizoctonia solani* and *Sclerotium rolfsii*, S9
—organic and inorganic, in vegetable fields, S13
Soilborne fungal pathogens, population genetics, symposium, 446
Soilborne wheat mosaic virus, coat proteins of, virus structure implication, 295
Soil solarization
—soil microbial community effect, S113
—tomato soilborne pests, management, 250
Solanum nigrum, phytotoxic effect, AAL-toxins, S2
Soliman, K. M., S32
Somai, B. M., S92
Somodi, G. C., S92
Song, W. Y., S92
Sonoda, R. M., S17
Sonti, R. V., 760
Sorghum
—*Colletotrichum* and *Exserohilum* on, yeast as biocontrol, S75
—*Fusarium*, characterization in Kansas and Mali, S24, 779
—sooty stripe, yield loss, S48
Sorghum mosaic virus, sugarcane mosaic virus comparison, strain discrimination, 932
Sorghum sudanense, leaf blotch, new in California, S5
Sorrells, M. E., S88
Souche, S., 397
Soupa, D., 1202
Sour cherry, black knot, epidemiology, S64
Southern bean mosaic virus, mutant, host range and sequence analysis, S57
Souto, E. R., S93
Souza, E. J., S103
Souza, N. L., S15
Soybean
—aluminum toxicity, molecular basis of tolerance, S32
—brown stem rot, temperature effect, S39
—cyst nematode: secretory protein genes, S106; sudden death syndrome relation, S101; *Verticillium lecanii* colonization, S66
—*Diaporthe*, molecular grouping of species, S108
—fungal diseases in North America, diversity, S106
—*Phialophora gregata* and *Plectosporium* sp., detection, S18
—red crown rot, soil temperature effect, S55
—red leaf blotch, mulching effect, S86
—*Rhizoctonia*, postemergence herbicide effect, S11
—rust, temperature effect on spore germination, S10
—*Sclerotinia sclerotiorum* on: management and crop sequence, S35; seed contamination and yield, S71
—Sclerotinia stem rot, dissemination assessment, S106
—sudden death syndrome: chloride effect, S83; *Fusarium solani* and herbicide response, S85; resistance, S61; risk assessment in North-Central USA, S86; tillage and genetic resistance effect, S112
—white mold: lactofen herbicide treatment for, S22; seed transmission, S68
Soybean dwarf virus, coat protein region sequence analysis, S40
Soybean mosaic virus, resistance-breaking determinants, S27
Soybean severe stunt virus, detection, resistance, S29
Spaine, P., S93
Spatial correlation analysis, discrete analog, S30
Speranzini, D., S34
Sphaeropsis sapinea
—on pine, dsRNA virus, S79
—on *Pinus resinosa*: logging debris, S109; water stress and latency, S9
—on red pine: morphotypes, inhibition by phenolics and monoterpenes, 606; water stress effect, 422, 429

Spiroplasma citri
—recombination generate variation, mechanisms, S65
—surface proteins, vector insect cells, S107
Sposato, P., S25
Spotts, R. A., S57, S93
Spradlin, W. D., S77
Spruce, red
—brown rot decay, calcium oxalate and pH effect, S20
—tomato mosaic virus infection, seasonal pattern, S5
Spurr, H. W., Jr., S93
Sreenivasulu, P., S74
Stachybotrys elegans, activation protein, characterization, S4
Stagonospora spp., *Septoria tritici* similarity, genetic, S5
—*S. nodorum*, on wheat, seed infection, S88
Stall, R. E., S49
Stall, W. M., S49, S50
Stanghellini, M. E., S3
Stankiewicz, A., S22
Stanosz, G. R., 381, 422, 429, 606, S9, S91, S93, S109
Stanosz, J. C., S109
Starratt, A. N., S58
Staskawicz, B., S72
Statistics, equivalence tests, letter to editor, 372
Staub, T., S53
Stavely, J. R., S93
St. Clair, D. A., 454
Steadman, J. R., S93
Steenkamp, E. T., S93
Steffenson, B. J., 1140
Steinberg, C., 693
Steinbiss, H.-H., S54
Stenger, D. C., 737
Stenotrophomonas maltophilia, turfgrass pathogen antagonist, chitinolytic properties, S109
Stensvand, A., 1046
Stevens Johnk, J. M., S94
Stevenson, W. R., S26
Stiles, C. M., S94
Stipes, R. J., S56
Stockwell, C. M., S22, S94
Stoffella, P. J., S79
Stokkermans, J. P. W. G., 839
Stone, A. G., S66, S94
Stone, A. L., S40
Stout, J. T., S94
Stout, M. J., S30
Strausbaugh, C. A., S31, S94
Strawberry
—anthracnose: plant density effect, 828; rain splash dispersal effect, 649; in Uruguay, S16
—anthracnose and root necrosis, species identification in Israel, 516
—*Botrytis cinerea* on, latent infection, S111
—Botrytis fruit rot, model validation, S10
—gray mold fruit rot, field sanitation and control, S57
—leaf blight, spatial pattern analysis, S98
—leather rot, fungicide and straw mulch effect, S28
Strem, M. D., S5, 779
Streptomyces spp.: thaxtomin A produced by, related gene, S13; transposase gene, linkage, S13
—*S. scabies*, thaxtomin A, S41
Stromberg, E. L., S21, S81
Stromberg, K., S94
Stromberg, V. K., S55, S56, S60
Strydom, R. C., S93, S95
Stubbs, G., 295
Stylosanthes spp., anthracnose, variation in Australia, S16
—*S. scabra*, anthracnose, climate change effect, S39
Suarez, S., S60
Subbarao, K. V., 325, 877, S39, S104, S105
Sudarshana, M. R., S95
Sugar beet
—Aphanomyces damping-off, oat precrop and soil fertilization, S103
—Fusarium root rot, characterization of isolates, S40
—Rhizoctonia crown and root rot, biocontrol, S51
—soilborne pathogens, irrigation management, S77
Sugarcane, leaf scald
—intraspecific genomic variation in pathogen, 316
—resistance and wild relatives, 1202
Sugarcane mosaic virus
—sorghum mosaic virus relation, strain discrimination, 932
—transgenic virus resistance, S114
Süle, S., 706
Sulzinski, M. A., S95
Sumner, D. R., S12, S34, S95
Sun, P., S95
Sun, X., S34
Sunflower
—head rot, oil yield and oil acidity affected by, S3
—Rhizopus head rot, yield and disease management, 1226
—rust, races in 1996 in USA, S36
—white rust, histopathology, S100
Suppressive soils, *Gaeumannomyces graminis* for *Rhizoctonia solani*, in Montana, S51
Susi, P., 404
Suslow, T. V., S14, S72
Sutherland, M. L., 576
Sutherst, R., S39
Suttner, R. J., S61
Sutton, J. C., S68
Sutton, S., S8
Sutton, T. B., 88, 96
Sutula, C. L., S105
Suzuki, N., S72
Svircev, A. M., S92
Swanston, J. S., S69
Sweetpotato, foundation seed program, North Carolina, S77
Sweet potato feathery mottle virus, detection with specific primers, S93
Swings, J., 1111, S81

Taghavi, M., S29
Tagliati, E., 706
Tainter, F. H., S111, S113, S114, S116
Takahashi, T., 389
Takikawa, Y., 1192
Talaromyces flavus
—biocontrol agent for *Sclerotium* and *Verticillium*, mechanisms, 1054
—biocontrol efficacy of, carbon, nitrogen, and C:N ratio effect, 500
Tan, Q., S18
Tanaka, K., S44
Tanaka, M., S95
Tanaka, T., S2
Tang, W., 792, S7
Tanne, E., 1041
Tapsoba, H., S96
Taylor, R. W., S29
TeBeest, D. O., S59, S113, S115
Telford, E. B., S83
Temple, S., S37
Tenkouano, A., S22
Tennant, P., S34, S96
Tewari, J. P., S51, S90
Theiler, M., S53
Theisen, T. M., S7, S10, S96
Thielaviopsis spp.
—*T. basicola*: ecology, saprophytic activity role, 1214; endoconidial anastomosis, S43; on pansy, penetration and infection, S66; on pea, soil receptivity factors, 534; in soil, hairy vetch-amended, suppressiveness, 197; on tobacco, root hair cellular interactions, 228; on violet, severity assessment key, S20
—*T. paradoxa*: sexual compatibility, S4; strain characterization, RAPD and PCR amplification, S3
Thies, J. A., S96
Thomas, C. E., S101, S115
Thomas, C. S., S36, S96
Thomas, J. E., 698
Thomas, P. E., S96
Thompson, D. C., S96
Thompson, S. M., S102
Thomson, S. V., 565
Thon, M. R., S73
Thornbury, D. W., S97
Thornton, C. R., 123, 730
Thottappilly, G., S22, S97
Tiffany, M. G., S97
Tillage
—biocontrol of wheat root diseases relation, 551
—no-till wheat cover crop, Phytophthora blight on pepper, 242
Tilletia spp.
—*T. controversa*, genetic variation, RAPD markers, S78
—*T. fusca*, on grasses in Pacific Northwest, S15
—*T. indica*: detection surveys, spatial distribution in field, S85; identification by PCR-based technique, S8; teliospores, hot water and sodium hypochlorite treatment, S91; on wheat, detection in samples, S85
Timmer, L. D., 1078
Tiourebaev, K. S., S97
Tirilly, Y., 108
Tobacco
—blue mold: cytology in systemic acquired resistance, S53; inoculum source, S114; streptomycin for control, problems, S69
—cercosporin resistance gene in, S99
—collar rot, factors, S37
—hypersensitivity, *Clavibacter michiganensis*, 678
—*Phytophthora parasitica*, glycoprotein and elicitor activity, 899
—potato spindle tuber viroid replication, tomato mottle virus vector, S102
—potyvirus complex, characterization, S77
—root hairs, *Thielaviopsis basicola* cellular interactions, 228
—tomato mottle virus, resistance transformation, S90
—transgenic, cecropin effect on resistance to *Pseudomonas syringae*, 494
Tobacco etch virus
—self-processing residues, antimicrobial peptide design, S79
—transmission and helper component, S101
Tobacco mosaic virus
—movement protein, dysfunctional mutation, S23
—negative and positive strand synthesis of trans RNA, S17
—PCR assay, immunocapture, S46
Tobacco vein mottling virus, coat-protein mediated resistance, virus comparison, S50
Todd, J. W., S47, S75
Tohamy, A. M., S97
Tollner, E. W., S34, S95
Tomaru, M., S72
Tomato
—Alternaria rot, foliar fungicides, S55
—bacterial speck: biocontrol agents and salicylate amendment, S48; biocontrol and carbon source relation, S48; resistance method, S72
—bacterial spot: h-mutant bacteriophage, S92; systemic resistance, S2
—bacterial spot and speck: biocontrol, binary combinations, S108; biocontrol agents, S14

—*Botrytis cinerea*, integrated, biological-chemical control, 332
—*Cladosporium fulvum* on, signal transduction pathway, S60
—crown and root rot, synthetic metal chelator effect, S62
—diseases and economic effect in Arkansas, S42
—Fusarium crown and root rot: biocontrol and zinc, 1250; mycoparasite *Pythium oligandrum* for control, 108
—Fusarium crown rot, resistance, S40
—Fusarium wilt, biocontrol in environment, S56
—insect herbivores, SAR inducers, S30
—irregular ripening, control with imidacloprid, S79
—*Phytophthora parasitica*, root and leaf response, S49
—potato spindle tuber viroid, protein kinase relation, S38
—*Pseudomonas syringae*, resistance and seed microbialization, S83
—*Ralstonia solanacearum* on: harpin and resistance, S80; polysaccharide and endoglucanase role, 1264; root observation, S84
—root disease, severity and organic farming system, S99
—root-knot nematodes, *Meloidogyne* spp. hybridization, 1061
—Sinaloa tomato leaf curl virus, molecular characterization, S46
—soilborne pests, soil solarization for, 250
—transgenic plants, geminiviral movement proteins, S44
—wilt: actinomycetes for control, seed microbialization, S83; sporulation and aerial dissemination, 712
—xanthomonads from, genetic variation in Central America, S49
Tomato bushy stunt virus, resistance responses, movement protein regions, S19
Tomato chlorosis virus, molecular and cytological analysis, S104
Tomato infectious chlorosis virus, nucleotide sequence analysis, S58
Tomato mosaic virus, PCR assay, S46
Tomato mottle virus, gene-mediated resistance, S94
Tomato spotted wilt virus
—detection in peanut, vector relations, S75
—*Frankliniella bispinosa* as vector, S102
—host adaptability, S80
—nucleocapsids, nucleoside triphosphatase relation, S82
—on peanut, tobacco, and vegetables, detection, S47
—reassortants, characterization, S42
—signal sequence, cryptic promoter, S19
—temperature and host effect, interfering RNAs, 1168
—thrips vector, receptor site, S6
—on tobacco: sequence variability, in Georgia, S74; survey in Georgia, S74
—in transgenic tobacco, resistance stability, S41
Tomato yellow leaf curl virus
—nucleotide sequence, Dominican Republic, S84
—quantitation in whitefly vector, 610
—whitefly vectors, detection, S46
Tonon, C. V., S97
Tooley, P. W., S8, S98
Torrance, L., 295
Torres-Jerez, I., S83
Tosun, N., S23
Toth, J., S55, S56
Touitou, D., 310
Toyoda, H., S73
Toyoda, K., 846
Trail, F., S98
Traina, S. J., S94
Traquair, J. A., S62
Travis, J. W., S70
Trese, A. T., S98
Trevathan, L. E., S6, S111, 779
Trialeurodes vaporariorum, tomato yellow leaf curl virus vector, quantitation, 610
Trichoderma spp., phylogeny, mushroom green mold association, S73
—*T. hamatum*, biocontrol agent, molecular markers, S2
—*T. harzianum*: antifungal enzymes, mass production strategy, S23; antifungal glucan from, encoding gene, S25; endochitinase, disease resistance relation, S59; endochitinase encoding gene, transgenic tobacco, S32; on tobacco, potato, and petunia, genomic and cDNA copy gene, resistance, S59
—*T. koningii*, take-all suppression, soil properties, 1118
—*T. virens*, chitinase and glucanase genes, isolation, S51
Trifolium subterraneum, bean yellow mosaic and clover yellow vein viruses on, host reaction, S65
Trigiano, R. N., S17
Trocine, T. M., 1078
Trout, C. L., S98
Tsai, J. H., S102
Tsuga canadensis, copper hydroxide spray, canopy penetration, S54
Tuang, F. N., S81
Tubajika, K. M., 529, S98
Tudzynski, P., S71
Tuff, L. J., S27
Tulande, E., S21
Turechek, W. W., S98
Turfgrass (see also Bentgrass, Fescue)
—biocontrol and integrated control using *Trichoderma harzianum*, S72
—dollar spot, hypovirulence, 147
—dollar spot and leaf spot, biocontrol, 614
—gray snow mold, biocontrol mechanisms, S104
—Pythium blight, microclimate modification, S33
—summer patch, soil bacteria for control, S43
Turnip mosaic virus
—coat protein core and aphid transmission, S97
—transgenic plants, resistance, S47
—transmission and helper component, S101
—tulip break and lily mottle virus relation, detection, S106
Tuzun, S., 136, S2, S27, S32, S79
Tyler, D. D., S104
Tylka, G. L., S104

Uchida, J. Y., S98
Uddin, W., S99
Ude, G. N., 745
Ullman, D. E., S6
Ullrich, M., S13
Ulocladium atrum, on onion leaves, effect on *Botrytis eclada*, 634
Uncinula necator
—epidemiology, RAPD analysis, 670
—on grape, fluorescence microscopy technique, S26
—triadimefon sensitivity, sterol demethylation inhibitors, 784
Upchurch, R. G., S99
Upper, C. D., 33, S42
Uromyces spp.
—*U. appendiculatus*: on bean, chlorophyll fluorescence, S59; variability, mobile nursery, S93
—*U. striatus*, on alfalfa, infection factors, 946
Ursin, V. M., S44
Ustilago spp.
—*U. hordei*: in barley, detection, S103; mating inhibition, pheromone compounds, S54; mating types, early response, S4
—*U. maydis*: mating type locus, variation, 1233; mutants, monomorphic nonpathogenic, 259
—*U. violacea*: germination, cytology and mating types, S44; mating type and spore germination, S43
Utkhede, R. S., S99

Vaillancourt, L. J., S99
Valjavec-Gratian, M., 1140
Valkonen, J. P. T., S16
Valverde, R. A., S43, S90, S93
Van Alfen, N. K., S50, S64
van Berkum, P., 745
van Bruggen, A. H. C., S99, S104
van den Berg, C. G. J., 594
van den Heuvel, J. F. J. M., S99, S100
van der Beek, J. G., 1061
van der Wilk, F., S99, S100
van der Zwet, T., S100
van Dijk, K. V., S100
Vani, A., S47
van Loon, L. C., 138
Van Santen, E., S13
van Silfhout, C. H., 266
van Vuurde, J. W. L., S53
van Wyk, P. S., S100
Vardeman, S. B., S75
Vargas, J. M., Jr., S44, S79
Varma, A., S47, S75
Vauterin, L., 1111, S81
Vázquez, A., S78
Velazhahan, R., 1258
Venturia inaequalis
—antagonistic interactions, cytochemistry, S8
—on apple: ascospore and infection, temperature effect, 1046; phytoalexin production, 868; sterol demethylation inhibitors for, detection, 184
—ascospore escape from ground cover, S5
—conidial germination, sunlight effect, 628
—fenarimol effect, resistance inheritance, S71
—fungal fimbriae, localization, S92
—sterol demethylation inhibitors, resistance, 1272
—strobilurin fungicides from, target site, S109
Vera Cruz, C. M., S3
Verbeek, M., S99, S100
Verticillium spp.
—*V. dahliae*: biocontrol with *Talaromyces flavus*, 1054; on cauliflower, microsclerotial spatial patterns, 325; on horseradish, temperature and pH effect, S50; nitrate-nonutilizing mutants, medium, 1067; on potato, nematode relation, 440; on potato, synergism with *Pratylenchus penetrans*, gas exchange relation, 435; on sunflower, evaluation method, S77
—*V. lecanii*, on cucumber, powdery mildew suppressed by, 359
Vesonder, R. F., S100
Vicia villosa, soil amendment, suppressing *Thielaviopsis basicola*, 197
Vidhyasekaran, P., 1258
Vigna sinensis, cell wall extracts, signal molecules, 846
Vilgalys, R., 480
Viljoen, A., S100
Villalba Mateos, F., 899
Vimala, R., 1258
Vincelli, P., S100
Vingnanakulasingam, V., S14
Viola wittrockiana, root rot, *Thielaviopsis basicola* cause, S20
Virata, J. A., S42
Viruses
—capilloviruses, molecular variability, 389
—detection by partial purification, S56
—hypoviruses, in *Cryphonectria parasitica*, diversity, 1026
—long distance spread, in xylem, S33
—multiple resistance, RNA-mediated resistance, S47

—nepoviruses, on black currant, reversion disease relation, 404
—tobamoviruses and potyviruses, vein invasion, S24
—tospoviruses, serologically distinct virus comparison, polyclonal antibodies, S106
—transgenic plants, virus alteration and assisted infection, S96
von Broembsen, S. L., 522, 822, S26, S101
Voroney, P., S80
Vossbrinck, C. R., S28
Vuylsteke, D., S22

Wakeman, J., S99
Wakeman, R. J., 341
Waldrop, T. A., S114
Walk, T. E., S101
Walker, J. T., S115
Walker, M. D., S87
Walkinshaw, C. H., S101, S115
Wall, G. C., S101
Walling, L. L., S49
Wang, G., 161, S101
Wang, H. L., S95
Wang, R. Y., S101
Wang, S.-Y., S108
Wang, Y.-H., S101, S115
Wang, Z., S40
Ward, K. T., S101
Warmuth, C. J., 316
Warner, F. W., S9
Wasilwa, L. A., S102
Watanabe, K., 1192, S16
Watermelon
—bacterial fruit blotch, seed contamination, S44
—fruit blotch, antibodies specific for *Acidovorax avenae*, S105
—tospovirus, characterization in India, S47
Watkins, J. E., S33, S102
Watrud, L., S4
Watson, A. K., S23
Watson, C., S73
Watson, G. R., S116
Watson, M. T., S102
Waugh, K. O., S58, S72
Wayadande, A. C., S55, S107
Weather, advisories, in North Carolina, S5
Webb, C. A., 236
Webb, D. H., 946
Webb, S. E., S102
Weber, E., S36
Wechter, P., S116
Wedderburn, R., S48
Wedge, D. E., S116
Wegulo, S., S106
Wei, G., 136
Wei, Q., S74
Wei, Z.-M., S10, S52, S80
Weiss, B., 310
Weist, C. F., S91
Weller, D. M., 551, 559, 1118
Wen, A., S102
Weng, Z., S105
Wergin, W. P., S66
Wernsman, E. A., S77
Westcott, S. W., III, S112
Wheat
—*Bacillus* and *Pseudomonas* in rhizosphere of, population dynamics, 559
—bunt, resistance in Northwest USA, S103
—dwarf bunt, inoculum levels, S34
—*Fusarium graminearum*: inoculation methods, S24; temperature and moisture effect, S24
—Fusarium head blight, growth stage inoculation, S30
—*Fusarium* spp., PCR assay for detection, S7
—glume blotch: gene flow and sexual reproduction, 353; genetic similarity in Switzerland, 1134
—grain filling, deoxynivalenol effect, S61
—head blight, dispersal gradients, 414
—leaf rust: inheritance, S54; latent period, 170; virulence and molecular polymorphism, S54
—powdery mildew: RAPD gene markers, S89; resistance genes, S89
—root diseases, biocontrol, tillage, 551
—scab, biocontrol, S94
—seedborne fungi, space-grown plants, 1125
—*Septoria tritici*, transformants altering virulence, S78
—Septoria tritici blotch, tolerance and physiology, 60
—Septoria tritici leaf blotch, virulence and resistance variation, 266
—soilborne wheat mosaic virus, coat protein, virus structure implication, 295
—stem rust, on wheat, virulence and isozyme phenotypes, 910
—take-all: biocontrol, bentgrass bioassay for rootzone mixes, S63; crop rotation sequences, S21; disease cycles and crop management, 26; soil chemical and physical properties, 1118; suppression with *Bacillus* isolate, S21
—tan spot: infection period, neural network, 83; necrosis toxin, 154
—*Xanthomonas translucens*, grass species isolates, diversity, 1111
White, A. S., S59
White, D. G., 622, 1144, S38
White, F. F., S110
White, M., 698
Whiting, E. C., S102
Wickizer, S. L., S33
Wicklow, D. T., S64
Widholm, J. M., S58
Widick, J. D., S83
Widstrom, N. W., 529, 1174
Wiecko, A. T., S101
Wilcox, S. M., S10, S101
Wilcox, W. F., 42, 184, 784, S28, S31, S102
Williams, D. (Ala.), S38
Williams, D. W. (Ky.), S100
Williams, W. P., S103
Williamson, S. M., S15
Willis, D. K., S42
Willits, D. A., S103
Wilson, A. D., S113, S116
Wilson, C. L., 772
Wilson, C. R., S55
Wilson, J. P., S96
Wilson, L. L., 649, S70, S71
Wilson, M., S14, S48, S68, S79, S82, S103, S108
Wilson, T. M. A., 295
Wilson, W. J., S103
Windels, C. E., S103
Windes, J. M., S103
Windham, G. L., S103
Wingfield, B. D., S79, S91, S93, S95
Wingfield, M. J., 822, S79, S91, S93, S95
Wintermantel, W. M., S103
Wisler, G. C., S58, S104
Wisniewski, M. E., 310, 772
Wobus, C. E., S104
Wolf, P. G., 565
Wolf, T. M., S11
Wolfe, M. S., 353, 1134
Wolff, M. A., S77
Woloshuk, C. P., 164, S12
Wong, O. L., S108
Woo, S. L., S25, S59, S104
Wood decay, fungi detected by DNA-based technology, S48
Woodford, T., S33
Workneh, F., S104, S106
Wrather, J. A., S104
Wu, B. M., S104
Wu, C., S104
Wu, W., S100
Wuest, P. J., S4
Wyatt, S. D., S56

Xanthomonas spp.: 16S ribotype profiles, S56; DNA homology groups, S55; genomic fingerprinting, 123 strains, S60; identification on line, PCR database, S81
—*X. albilineans*: PCR primers specific for, S74; on sugarcane, genomic variation, 316; on sugarcane, molecular characterization, S40; on sugarcane, resistance and wild relatives, 1202
—*X. axonopodis*, on tomato, mutant interaction, S68
—*X. campestris*: bacteriocin, gene characterization, S41; on bean seed, detection by immunofluorescence, S53; on cotton, *Xanthomonas avr/pth* gene family, 1160; detection with serology and PCR, S97; fitness factor, regulation, S79; on geranium, occult infections, PCR-based, S95; on pepper, resistance genes, S54; on pepper, resistance source, S84; on pepper, systemic acquired resistance, S83; on pepper and tomato, nonhost pathogenicity, S71; survival in soil and tissue, 960; on wheat, bacterial antagonists, S94; in wheat, rifampicin resistant strain, S98
—*X. convolvuli*, on bindweed, biocontrol, S85
—*X. oryzae*: genetic diversity, in India, 760; on rice, DNA fingerprinting, 302; on rice, gene deployment strategies, 66; on rice, population diversity in Nepal, S3; on rice, resistance gene elicitation, S110
—*X. translucens*, on cereals and grasses, diversity and relevance, 1111
Xanthomonas strains, molecular systematics, fingerprinting and pattern analysis, S81
Xia, J. Q., S105
Xiao, C. L., 325, S105
Xie, W., S1
Xiong, Z., S105
Xu, D. M., S50, S105
Xu, H., S105
Xu, T., S105
Xue, L., S106
Xylella fastidiosa
—detection with PCR primers, S51
—on grapevine, population and transmission, 1197
—on periwinkle, S17

Yamada, T., 846
Yan, J., S72
Yan, Y., S106
Yang, J. (Canada), S51
Yang, J. (Korea), S52, S71
Yang, J. S. (Taiwan), S107
Yang, L., S44
Yang, S., S85
Yang, T.-C., S106
Yang, X. B., S39, S66, S85, S86, S95, S104, S106
Yang, Y., 924
Yang, Z. N., 932, S114
Yao, C., S20, S106
Yashitola, J., 760
Yazawa, M., 1192
Ye, F., S65
Yeh, S. D., S106, S107
Ying, Z., S23
Ynalvez, M. A. H., S3
Yonow, T., S39
Yoo, J., S71
Yoshikawa, N., 389
Young, C., S93
Yourman, L. F., S116
Yu, F., S107
Yu, G. Y., S107
Yu, I.-C., S8
Yu, J., S107

Yu, T. A., S107
Yuan, C., S107
Yucel, I., S82
Yuen, G. Y., S33, S108, S109
Yuen, J. M. F., S70
Yun, S. C., S107

Zack, J. W., S62
Zadoks, J. C., S86
Zaitlin, M., S103
Zambino, P., 1233
Zdor, R. E., S108
Zee, F., S30
Zehnder, G. W., 136
Zehr, E. I., S113, S116
Zeigler, R. S., 284, S33
Zettler, F. W., S106
Zhang, A. W., S108
Zhang, D., S108
Zhang, H.-F., 154
Zhang, J. (Mass.), 751
Zhang, J. (Ohio), S66
Zhang, J. X. (Okla.), 1020, S108
Zhang, L., S50, S108
Zhang, W. (Ohio), S108
Zhang, W. M. (Canada), S11
Zhang, Z., S108, S109
Zhao, Y., S38
Zheng, D., S109
Zheng, J., S52
Zhou, S., S109
Zhou, T., 147, S92, S109
Zhu, H. (Ohio), S54
Zhu, H. (S.C.), S109, S116
Zhu, H.-Y. (N.Y.), S58, S109
Zhu, W.-G., S110
Zhu, Y., S72
Zidack, N. K., S110
Zidak, N., S11
Ziegler-Graff, V., S99
Zilberstein, A., S78
Zilverentant, J. F., 839
Zitter, T. A., S25, S63, S92, S110
Zoffoli, J. P., S110
Zoina, A., S59
Zook, M. N., S50, S110
Zoon, F. C., 534
Zriba, N., S110
Zuckerman, E., 60
Zumoff, C. H., S7, S52
Zuniga, T. L., S110
Zuo, W.-N., S99
Zutkhi, Y., 203
Zweekhorst, C., S53